



THE
CLASSIC
 COLLECTION

Traditional, understated design and skilled craftsmanship are the signatures of the **Classic Collection**. Each stylish accessory features a sleek, flat plate and is made with solid brass, premium grade stainless steel or aluminium for a superior, dependable quality. The result is a high-quality, low-profile finish that is the hallmark of Wandsworth.



CLASSIC COLLECTION






Socket outlets

Socket outlets are based on the same modular principle as the matching grid switch system. They can be installed and aligned separately as the socket interiors are mounted on an adjustable grid within the box. Switched socket outlets have double insulated rockers. Red and Blue interiors are available for special applications e.g. essential supply, etc. Red neons are available on switched sockets. All units will fit metal boxes to BS4662 with a minimum depth of 35mm. Available in the range of finishes shown on page 83.

Sockets for trunking mounting

We recommend our Infinity Collection of sockets for mounting direct onto trunking when cut-out and fixing centres to BS4462 are required. If it is intended to standardise on Wandsworth sockets for a range of trunking then we would recommend hard tooling to pierce the apertures required as detailed on page 99.




13Amp socket outlets

Plate	P12123	P350	P374	P354	P376	P356
<i>Interiors:</i>						
Rear entry	A12123	–	–	–	–	–
Rear entry, single pole	–	–	A374	–	A376	–
Rear entry, dual earth	–	A350/D	A385	–	–	–
Rear entry, double pole	–	–	–	–	A378	–
Rear entry, double pole, dual earth	–	–	–	A354/D	–	A356/D
<i>Boxes:</i>						
Flush (metal)	1702	1703	1702	1703	1702	1703
Surface (metal)	1131	1134	1131	1134	1131	1134
Surface (plastic)	1132	1133	1132	1133	1132	1133

To order Plug tops please use part number 40. Plug tops available in White (W), Black (B) or Red (R).

Hinged lid socket outlets

Our metal hinged lid range is available in the following finishes as standard: Bright Chrome (BC), Satin Chrome (SC) and Polished Brass (PB).



13Amp socket outlets (unswitched)



Reference (complete assembly)	MHL10	MHL11
Box Flush (metal)	1702	1703



Non-standard socket outlets

Wandsworth non-standard sockets are supplied where a non interchangeable facility is necessary, such as mixed voltages and in computer installations. Non-standard sockets are also available with an isolated earth. They are rated at 240V 13Amps AC. For non-domestic use only.


Please order plugs separately. Available in white, black, blue and red. For panel mounted interiors see page 98. Red and blue interiors are available for special applications, see page 88 for box details. Available in the range of finishes shown on page 83.



13Amp non-standard socket outlets


Plate	P12123	P350	P354
<i>Interiors:</i>			
Side entry Type A, dual earth	–	A352/D	–
Rear entry Type A	A12124	–	–
Rear entry single pole Type B	A330	–	–
Rear entry double pole Type A, dual earth	–	–	A359/D
Rear entry double pole Type B, dual earth	–	–	A348/D
<i>Boxes:</i>			
Flush (metal)	1702	1703	1703
Surface (metal)	1131	1134	1134
Surface (plastic)	1132	1133	1133

To order plug tops please use part number 41 for type A and 42 for type B. Plug tops available in White (W), Black (B) or Red (R).



Isolated earth socket outlets

Please order plugs separately. Available in white, black and red. For panel mounted interiors see page 97. Red and blue interiors are available for special applications, see page 88 for box details. Available in the range of finishes shown on page 83.



13Amp non-standard, isolated earth socket outlets

Plate	P12123	P350	P354
<i>Interiors:</i>			
Side entry Type A, dual earth	–	A353/D	–
Rear entry Type A	A219	–	–
Rear entry, double pole Type A, dual earth	–	–	A360/D
Rear entry, double pole Type B, dual earth	–	–	A349/D
<i>Boxes:</i>			
Flush (metal)	1702	1703	1703
Surface (metal)	1131	1134	1134
Surface (plastic)	1132	1133	1133

To order plug tops please use part number 41 for type A and 42 for type B. Plug tops available in White (W), Black (B) or Red (R).

2/5Amp socket outlet (unswitched)

Our metal hinged lid range is available in the following finishes as standard: Bright Chrome (BC), Satin Chrome (SC) and Polished Brass (PB).



2Amp (unswitched)


5Amp (unswitched)

Plate	P2151	MHL12 (complete assembly)	P285	MHL13 (complete assembly)
Interiors	A2151	–	A205	–
<i>Boxes:</i>				
Flush (metal)	1702	1702	1702	1702
Surface (metal)	1131	–	1131	–
Surface (plastic)	1132	–	1132	–
Plugs Ref	190	190	3001	3001

To order plug tops please use part number 190 for 2Amp and part number 3001 for 5Amp. Available in White (W) only.

American sockets

Socket outlet 1 gang American type 2 pole, 3 wire grounding 15Amp 125V NEMA line 5-15R. Brown (BW) interiors only. Socket outlet 2 gang American type 2 pole, 3 wire grounding 15Amp 125V NEMA line 5-15R. Brown (BW) interiors only. See page 88 for box details. Available in the range of finishes shown on page 83.



American sockets


Plate	P247	P248
Interiors	A247	A248
<i>Boxes:</i>		
Flush (metal)	1702	1703
Surface (metal)	1131	1134
Surface (plastic)	1132	1133



Switch/Modular plates

Flush cover plates are manufactured from aluminium, brass or stainless steel and have a 7mm overlap. They are 2.0mm thick (1.5mm for stainless steel plates), with gently bevelled edges and rounded corners. Earthing of the front plate is achieved through a flying earth lead or terminal attached to the grid and through the front plate fixing screws.

Available in the range of finishes shown on page 83. All Classic switches will fit a minimum depth back box of 35mm. Boxes to BS4662. See page 88 for box dimensions.




Switch/Modular plates

Plate	P201	P202	P203	P204	P206
Grid	G201	G202	G203	G204	G206

Boxes:

Flush (metal)	1702	1702	1703	1703	1759
Surface (metal)	1131	1131	1134	1134	1164
Surface (plastic)	1132	1132	1133	1133	-



Switch/Modular plates


Plate	P208	P212	P218	P224
Grid	G208	G212	G218 (set of 3)	G224 (set of 4)

Boxes:

Flush (metal)	1759	1760	1706	1708
Surface (metal)	1164	1165	1707	1709


Switch/Modular interiors

Rocker switches are manufactured from brass, aluminium or plastic, finished to either complement or match the cover plates. Neons are available in red with white, black or red trim, or green with white or black trim. Key switches are white or black. Red interiors are available for special applications such as essential supply, etc. Alternative colour combinations can be supplied to order. Due to the grid mounting nature of the product range it is possible to mix any combination of plate finish with interior finish. It is recommended that samples are viewed before specifying. All switches are rated at 250V 20Amps except cat No. 15 & 17 which are rated at 6Amp.



Rocker switches

Unit	Switch	Switch	Switch	Switch	Switch	Switch	Switch	Wireless Switch**
Type	1 way	2 way	Double pole	Intermediate	2 way & off	6Amp retractive push-to-make/ push-to-break	6Amp retractive 2 way & off	RF switch
Reference	10	11	12	13	14	15	17	Pulse10



Modular interior

Unit	Blank	Neon	Neon	Key switch	Key switch	Key switch	Key switch	Spare key*
Type	Dummy	Red	Green	1 way	2 way	Double pole	Intermediate	-
Reference	18	19/R	19/GR/B	20	21	22	23	24

*Key switches are supplied with one key. **For further information on Pulse wireless switch please see page 78.

Modular interiors outlets

The range has been cleverly designed to allow bespoke outlet arrangement without the need for a specially designed custom unit. For example Data, Voice and AV outlets can be matched together using our existing grids and switch plates.


BT Telecom Master

3706011	White	<input type="checkbox"/>
3706012	Black	<input checked="" type="checkbox"/>



CAT 6A STP RJ45

3706039	White	<input type="checkbox"/>
3706040	Black	<input checked="" type="checkbox"/>



Audio Phono Outlet

3706061	White	<input type="checkbox"/>
3706062	Black	<input checked="" type="checkbox"/>




BT Telecom Secondary

3706013	White	<input type="checkbox"/>
3706014	Black	<input checked="" type="checkbox"/>



RJ12

3706043	White	<input type="checkbox"/>
3706044	Black	<input checked="" type="checkbox"/>



SVGA Outlet

3706065	White	<input type="checkbox"/>
3706066	Black	<input checked="" type="checkbox"/>



ADSL filtered BT Tel Master

3706015	White	<input type="checkbox"/>
3706016	Black	<input checked="" type="checkbox"/>



I.E.C Female

3706051	White	<input type="checkbox"/>
3706052	Black	<input checked="" type="checkbox"/>



3.5mm Audio Jack

3706073	White	<input type="checkbox"/>
3706074	Black	<input checked="" type="checkbox"/>




Cat 6 STP RJ45

3706029	White	<input type="checkbox"/>
3706030	Black	<input checked="" type="checkbox"/>



Single "F" Type Connector

3706053	White	<input type="checkbox"/>
3706054	Black	<input checked="" type="checkbox"/>



Twin "F" Type Connector

3706081	White	<input type="checkbox"/>
3706082	Black	<input checked="" type="checkbox"/>




Cat 5E RJ45

3706033	White	<input type="checkbox"/>
3706034	Black	<input checked="" type="checkbox"/>



Blank Plate

3706055	White	<input type="checkbox"/>
3706056	Black	<input checked="" type="checkbox"/>



USB Charger*

3890005	White	<input type="checkbox"/>
3890006	Black	<input checked="" type="checkbox"/>




Cat 6 RJ45

3706035	White	<input type="checkbox"/>
3706036	Black	<input checked="" type="checkbox"/>



HDMI Outlet

3706057	White	<input type="checkbox"/>
3706058	Black	<input checked="" type="checkbox"/>



* Due to the design, it is not possible to fit these two units adjacent to each other in the following plates/grids: P402, G402.


Cat 6 UTP RJ45

3706037	White	<input type="checkbox"/>
3706038	Black	<input checked="" type="checkbox"/>




Speaker Outlet

3706059	White	<input type="checkbox"/>
3706060	Black	<input checked="" type="checkbox"/>



Architrave switches

Available in the range of finishes shown on page 83. Architrave plates have a 3mm overlap to the box. Architrave boxes are unique to the fitting of our Architrave range. Surface mounting units are not available. See page 88 for box dimensions.




Rocker switch

Plate/Grid Assembly	281	282	283	284
Box Flush (metal)	1715	1716	1717	1718

Toggle/Bell push switch

Plate/Grid Assembly	481	482
Box Flush (metal)	1715	1716





Dimmers

Rotary dimmers, suitable for use with tungsten lighting, are push on/push off switch dimmers which act at any pre-selected brightness setting. They have 2 way switching that may be used with a normal 2 way switch elsewhere. Larger gang dimmer units are available to special order and quotation.

Note: Single section plates should not exceed 500 watts tungsten dimming load. Twin section plates should not exceed 1000 watts tungsten dimming load. Failure to comply with this may result in overheating of dimmer modules. Note that transformers supplying low voltage lamps should be dimmable electronic transformers such as those manufactured by Mode.



Dimmer plates

Plate Assembly & Knob	331	332
Module – 240V lamps	324	2 x 324
	325	2 x 325

Boxes:

Flush (Metal)	1702	1703
Surface (Metal)	1131	1134
Surface (Plastic)	1132	1133



Dimmer plates

Plate Assembly & Knob	318	319	320
Module – 240V lamps	2 x 324	3 x 324	4 x 324

Boxes:

Flush (metal)	1702	1703	1703
Surface (metal)	1131	1134	1134
Surface (Plastic)	1132	1133	1133




Dimmer module

Module – 240V lamps	324	325
Rating	40-250 Watt Tungsten	60-400 Watt Tungsten
Description	Interior	Interior

Note: Transformers supplying low voltage should be dimmable electronic transformers such as those manufactured by Mode.


Toggle/Bell push switch plates

Flush cover plates are of aluminium, brass or stainless steel and have a 7mm overlap. They are 2.0mm thick (1.5mm for stainless steel) with gently bevelled edges and rounded corners. Earthing of the front plate is by means of a scraping earth fitted to the adjustable grid. All have flying earth leads or terminal. Available in the range of finishes shown on page 83. See page 88 for box dimensions.



Toggle/Bell push plates

Plate	P491	P492	P493	P494
Grid	G491	G492	G493	G494
Box Flush	1702	1702	1703	1703



Toggle/Bell push switches

Unit	Switch	Switch	Switch	Switch	Switch	Bell push*	Spare ring
Type	1 way	2 way	Double pole	Intermediate	2 way & off	Push to make	–
Reference	90	91	92	93	94	95	E32

Note: Toggle switches are not available to match the following Classic plate finishes: PDB (suggest PB toggles are used for matching). LB (suggest AB toggles are used for contrast). QS, W, CW (suggest SBC toggles are used for contrast).

**Bell push rated at 4Amp.*

Euro mod plates

We supply Euromod plates in a variety of finishes, allowing you to match your data outlet plates to all other accessory fittings throughout your property.



Euro mod switch plates & grids

Plate assembly	2EU1	2EU2	2EU4
<i>Boxes:</i>			
Flush (metal)	1702	1702	1703
Surface (metal)	1131	1131	1134
Surface (plastic)	1132	1132	1133

Euro mod interiors

A range of Euro module outlets designed to reduce the need for multiple outlets and outlet plates. The Euro modules are interchangeable, using a simple clip in feature that allows them to fit to a grid/plate for ease of installation.

Media units

	White	Black
Single IEC (Female)	304250	304251
Single IEC (Male)	304252	304253
Single F Type Connector	304254	304255
Blank 25x50mm	304256	304257
Diplexed TV/Radio (50mm x 50mm)	304258	304259
Diplexed TV/SAT (50mm x 50mm)	304260	304261
Triplexed TV/Radio/SAT (50mm x 50mm)	304262	304263
Quad TV/Radio/SAT/SAT2 (50mm x 50mm)	304264	304265
HDMI Outlet (50 x 50)	304292	304293
Blank 50 x 50mm	304294	304295

Audio units


	White	Black
Twin RCA (Phono)	304278	304279
Twin Loudspeaker	304280	304281
Triple RCA (Phono)	304290	304291
Single RCA	304242	304243

Data/Comms

	White	Black
BT Telephone Master	304268	304269
BT Telephone Slave	304270	304271
RJ11 Modem	304272	304273
CAT 5E RJ45	304274	304275
CAT 6 RJ45	304288	304289
Brushed Outlet (50mm x 50mm)	3992406	3992407

USB


	White	Black
Twin USB Charger (50mm x 50mm)	304244	304245





45Amp double pole switch

45Amp Double pole cooker switches are available as twin or single gang units complete with amber neon indicator. For plate/switch finish combinations, please see page 83. See page 88 for box dimensions.



45Amp double pole switch

Plate	P234	P237
Interior	A234	A237
<i>Boxes:</i>		
Flush (metal)	1732	1733
Surface (metal)	8384	8385



Blank plates

For plate/switch finish combinations, please see page 83. See page 88 for box dimensions.





Blank plates

Plate	3495	3492
Description	Single	Twin
<i>Boxes:</i>		
Flush (metal)	1702	1703
Surface (metal)	1131	1134
Surface (plastic)	1132	1133

Fused connection units & cable outlets

Fused connection units are grid mounted offering alignment and depth adjustment which enables the fused connector unit to be installed and the cover plate fixed after decoration work has been completed. The units have a retained fuse carrier that is not removed during fuse replacement. On switched versions, the double pole switch has 3mm contact gaps for isolation. Cable outlets have a bushed hole, a cord clamp and 3 way terminal block, suitable for up to 1.5mm flexible cable. See page 88 for box details. Available in the range of finishes shown on page 83.




Illuminated

Plate	P201	P255	P666	P666
Interiors	A254	A256	A668	A669

Boxes:

Flush (metal)	1702	1702	1702	1702
Surface (metal)	1131	1131	1131	1131
Surface (plastic)	1132	1132	1132	1132



Non-illuminated

Plate	P201	P255	P666	P666	P1978
Interiors	A253	A255	A666	A667	A1978

Boxes:

Flush (metal)	1702	1702	1702	1702	1702
Surface (metal)	1131	1131	1131	1131	1131
Surface (plastic)	1132	1132	1132	1132	1132




TV/FM/Satellite outlets

TV/FM outlets A2955 and A2949 are for use on existing systems. They are safety isolated for use on multi outlet communal systems. Interiors are available in black (B) or white (W). All other outlets are fully screened to BS EN 50083-2 for new multi outlet installations. Socket connector to IEC 169-2 for FM. Pin connector to IEC 169-2 for TV. Type F connector for satellite with through line powering capacity. For technical details and typical applications refer to page 91.



TV/FM outlets		
Plate	P2955	P2949
Interiors	A2955	A2949
Boxes:		
Flush (metal)	1702	1702
Surface (metal)	1131	1131
Surface (plastic)	1132	1132




TV/FM/Satellite/Telephone outlets

Cat No. (complete assembly)	2981	2982	2983	2984	2986
Boxes:					
Flush (metal)	1702	1702	1702	1703	1703
Surface (metal)	1131	1131	1131	1134	1134
Surface (plastic)	1132	1132	1132	-	-

Bespoke plates

Getting the details right should be enjoyable and easy. That's why we invite you to take advantage of our bespoke service. You will be able to select your style, colour, finish and configuration from a wide variety of options. You can choose from a range of sizes and customise your plates to contain a vast array of interiors, including switches, sockets, multimedia and data outlets. Please contact us and involve us in your creative process, and we'll work with you to design every item to meet your individual requirements.



Standard size plates

We are able to supply standard size plates with bespoke configuration. The examples below show typical interior configuration. Please call us to discuss your individual requirements:

Single plate with special configuration 86mm x 86mm



Twin plate with special configuration 86mm x 146mm



Special size plates

We also offer special size plates in the following sizes. The examples below show typical interior configuration. Please call us to discuss your individual requirements:

3 Gang Horizontal Plate 86mm x 227mm



Box 8467

4 Gang Horizontal Plate 86mm x 287mm




Box 8466

6 Gang Horizontal Plate 86mm x 422mm




Box 8462

8 Gang Square Plate 182mm x 287mm



Box 8463

4 Gang Square Plate 182mm x 146mm



Box 8465

6 Gang Vertical Plate 272mm x 146mm



Box 8464