

*A  
S  
H*

COPPER RANGE door handles are recommended for use in HOSPITALS and areas where the ANTIMICROBIAL properties of the metal are of paramount importance.

# ASH700 Copper Range




## Technical Specification

### Detailed Photography



### Technical Illustration

73



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 700	19	250 - 1250	65	NA	NA	Polished Copper	PCP
ASH 700	25	250 - 1500	80	NA	NA	Satin Copper	SCP
ASH 700	32	250 - 2000	80	NA	NA		

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.



More ordering and fixing information can be found at the back of this catalogue

**ASH 700**

# ASH703 Copper Range




## Technical Specification

### 74 Detailed Photography



### Technical Illustration



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 703	19	250 - 1250	65	75	NA	Polished Copper	PCP
ASH 703	25	250 - 1500	80	130	NA	Satin Copper	SCP
ASH 703	32	250 - 2000	80	150	NA		

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Fixing kit  
**ASH703 . (32) . 400 . PCP . F2A**  
Diameter
Finish

# ASH715 Copper Range




## Technical Specification

### Detailed Photography



### Technical Illustration

75



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 715	19	250 - 300	65	NA	NA	Polished Copper	PCP
ASH 715	25	250 - 450	65	NA	NA	Satin Copper	SCP
ASH 715	32	300 - 500	80	NA	NA		

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.



More ordering and fixing information can be found at the back of this catalogue

**ASH 715**

# ASH721 Copper Range




## Technical Specification

### 76 Detailed Photography



### Technical Illustration



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 721	19	up to 1250	65	NA	85	Polished Copper	PCP
ASH 721	25	up to 1500	65	NA	85	Satin Copper	SCP
ASH 721	32	up to 2100	80	NA	85		

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.



**ASH 721**

More ordering and fixing information can be found at the back of this catalogue