



GEZE GLASS FITTINGS  
PATCH FITTINGS FOR ALL GLASS INSTALLATIONS

## CONTENTS

Glass fitting range of application	<b>3</b>
Overview door system types (without overpanel)	<b>4</b>
Overview door system types (with overpanel)	<b>5</b>
Bottom patch GEZE PT 10	<b>6</b>
Top patch GEZE PT 20	<b>7</b>
Top patch GEZE PT 22	<b>8</b>
Overpanel patch with pivot pin GEZE PT 30	<b>9</b>
Overpanel and side panel patch GEZE PT 40	<b>10</b>
Overpanel and side panel patch with fin GEZE PT 41L / PT 41R	<b>11</b>
Double overpanel patch GEZE PT 50	<b>12</b>
Double overpanel patch with fin GEZE PT 51	<b>13</b>
Overpanel and side panel patch GEZE PT 63 and PT 63 S	<b>14</b>
Connector patch GEZE PT 70 and PT 70 S	<b>15</b>
Overpanel patch with fin GEZE PT 71 and 71 S	<b>16</b>
Connector patch GEZE PT 80	<b>17</b>
Connector patch with fin GEZE PT 81	<b>18</b>
Side patch for fixed panels GEZE PT 82	<b>19</b>
Side patch for fixed panel with M8 bolt GEZE PT 85	<b>20</b>
Corner patch lock GEZE PL 50	<b>21</b>
Centre lock GEZE US 50	<b>22</b>
Centre strike GEZE GK 50	<b>23</b>
Single overpanel strike box GK 30	<b>24</b>
Overpanel and side panel strike box GK 40	<b>25</b>
Overpanel and side panel strike box GK 41 L / GK 41 R	<b>26</b>
Double strike box GEZE GK 20	<b>27</b>
Retractable top pivot GEZE PT 21	<b>28</b>
Top pivot GEZE PT 24 and GEZE TS 137 A	<b>29</b>
Studio range	<b>30</b>
Junior range	<b>32</b>
GEZE products in combination with patch fittings	<b>34</b>

Elegant solutions – versatile and easy to install


RANGE OF APPLICATION

For exterior installations	●
For interior installations	●
For double-action doors	●
For fixed partition walls and wall covering	●
Door leaf weight	max. 120 kg
Door leaf width	max. 1100 mm
Door leaf height	max. 2800 mm
Glass thickness	ESG (8) / 10 / 12 mm
Torque	screws M6 (4 mm Allen Key) max. 10 Nm screws M6 (5 mm Allen Key) max. 15 Nm screws M8 (5 mm Allen Key) max. 20 Nm



● = Patch fittings useable

OVERVIEW

without overpanel




with overpanel




## OVERVIEW DOOR SYSTEMS (WITHOUT OVERPANEL)


Type 1




Type 2




Type 4




Type 3




Type 14




Type 17



Type 15




Type 16




## OVERVIEW DOOR SYSTEMS (WITH OVERPANEL)


Type 5




Type 6




Type 7



Type 8




Type 9




OVERVIEW DOOR SYSTEMS (WITH OVERPANEL)


Type 10




Type 11




Type 12




Type 19




Type 20




Type 20a




Type 18




Type 21




Type 22



Type 23



Type 24




## Bottom patch GEZE PT 10

- connection to floor spring or bottom pivot
- satin or polished stainless steel


### GEZE PT 10



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Bottom patch PT 10	satin stainless steel	142702
	polished stainless steel	144226


**Top patch GEZE PT 20**

- connection to PT 21, PT 24, PT 30 or PT 40
- satin or polished stainless steel


**GEZE PT 20**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Top patch PT 20	satin stainless steel	142703
	polished stainless steel	144227


## Top patch GEZE PT 22

- connection to transom closer
- satin or polished stainless steel


### GEZE PT 22



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Top patch PT 22	satin stainless steel	142704
	polished stainless steel	144228


**Overpanel patch with pivot pin GEZE PT 30**

- overpanel patch for wall fixing
- satin or polished stainless steel


**GEZE PT 30**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Overpanel patch PT 30	satin stainless steel	142705
	polished stainless steel	144229


## Overpanel and side panel patch GEZE PT 40

- top pivot with connection to the overpanel and lateral fixed panel
- satin or polished stainless steel


### GEZE PT 40



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Overpanel and side panel patch PT 40	satin stainless steel	142706
	polished stainless steel	144230

**Overpanel and side panel patch with fin GEZE PT 41 L / PT 41 R**


- patch for overpanel and side panel / fin left or right
- satin or polished stainless steel

**GEZE PT 41 L / PT 41 R**




PT 41 RH

**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Overpanel and side panel patch with fin PT 41 LH	satin stainless steel	142707
	polished stainless steel	144251
Overpanel and side panel patch with fin PT 41 RH (as image above)	satin stainless steel	142708
	polished stainless steel	144252


## Double overpanel patch GEZE PT 50

- double overpanel patch with two pivot pins
- satin or polished stainless steel


### GEZE PT 50



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Double overpanel patch PT 50	satin stainless steel	142709
	polished stainless steel	144253




**Double overpanel patch with fin GEZE PT 51**

- double overpanel patch with two pivot pins and fin on one side
- satin or polished stainless steel

**GEZE PT 51**



**Glass preparation**




**ORDERING INFORMATION**

Identification	Finish	ID no.
Double overpanel patch with fin PT 51	satin stainless steel	142710
	polished stainless steel	144254


## Overpanel and side panel patch GEZE PT 63 and PT 63 S

- connection fixed panel / overpanel PT 63 and PT 63 S with stop
- satin or polished stainless steel


### GEZE PT 63 AND PT 63 S



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Overpanel and side panel patch PT 63	satin stainless steel	142721
	polished stainless steel	144255
Overpanel and side panel patch with stop PT 63 S	satin stainless steel	142722
	polished stainless steel	144256


**Connector patch GEZE PT 70 and PT 70 S**

- connection to overpanel PT 70 and with stop PT 70 S
- satin or polished stainless steel


**GEZE PT 70 AND PT 70 S**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Connector patch PT 70	satin stainless steel	142723
	polished stainless steel	144233
Connector patch PT 70 S	satin stainless steel	142724
	polished stainless steel	144234


## Overpanel patch with fin GEZE PT 71

- connection patch with fin PT 71 and with stops PT 71 S
- satin or polished stainless steel


## GEZE PT 71 AND PT 71 S



## Glass preparation



## Dimensions



## ORDERING INFORMATION

Identification	Finish	ID no.
Overpanel patch with fin PT 71	satin stainless steel	142725
	polished stainless steel	144235
Overpanel patch with fin and stops PT 71 S	satin stainless steel	142726
	polished stainless steel	144236


**Connector patch GEZE PT 80**

- connection (four panel)
- satin or polished stainless steel


**GEZE PT 80**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Connector patch PT 80	satin stainless steel	142727
	polished stainless steel	144237


## Connector patch with fin GEZE PT 81

- connector patch with centre fin
- satin or polished stainless steel


### GEZE PT 81



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Connector patch with fin PT 81	satin stainless steel	142728
	polished stainless steel	144238


**Side patch for fixed panels GEZE PT 82**

- glass / wall connection
- satin or polished stainless steel


**GEZE PT 82**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Side patch for fixed panels PT 82	satin stainless steel	142729
	polished stainless steel	144257

**Note: Not suitable for load bearing**


## Side patch for fixed panel with M8 bolt GEZE PT 85

- glass / wall connection
- satin or polished stainless steel


### GEZE PT 85



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Side patch for fixed panel with M8 bolt PT 85	satin stainless steel	142730
	polished stainless steel	144239

**Note: Not suitable for load bearing**


**Corner patch lock GEZE PL 50**

- corner patch lock without cylinder, with round bolt
- satin or polished stainless steel


**GEZE PL 50**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Corner patch lock PL 50	satin stainless steel	142737
	polished stainless steel	144271

## Centre lock GEZE US 50



- centre lock without cylinder
- satin or polished stainless steel

### GEZE US 50



### Glass preparation

#### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Centre lock US 50	satin stainless steel	142736
	polished stainless steel	144260

**Centre strike GEZE GK 50**



- centre strike box
- satin or polished stainless steel

**GEZE GK 50**



**Glass preparation**

**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Centre strike box GK 50	satin stainless steel	142735
	polished stainless steel	144259


## Single overpanel strike box GK 30

- single strike box GK 30
- satin or polished stainless steel


### GEZE GK 30



### Glass preparation



### Dimensions



### ORDERING INFORMATION

Identification	Finish	ID no.
Single overpanel strike box GK 30	satin stainless steel	142732
	polished stainless steel	144261


**Overpanel and side panel strike box GK 40**

- strike box for overpanel and side panel GK 40
- satin or polished stainless steel


**GEZE GK 40**



**Glass preparation**



**Dimensions**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Overpanel and side panel strike box GK 40	satin stainless steel	142733
	polished stainless steel	144262




**Double strike box GEZE GK 20**

- double strike box
- satin or polished stainless steel


**GEZE GK 20**



**Glass preparation**



**Dimensions**





**ORDERING INFORMATION**

Identification	Finish	ID no.
Double strike box GK 20	satin stainless steel	142731
	polished stainless steel	144240

## Retractable top pivot GEZE PT 21

- recessed retractable top pivot

### GEZE PT 21




### ORDERING INFORMATION

Identification	Finish	ID no.
Retractable top pivot GEZE PT 21	zinc plated steel	142740



**Top pivot GEZE PT 24**

- top pivot with fixing plate for doors without overpanel GEZE PT 24


**GEZE PT 24**



**GEZE TS 137 A**



**GEZE easy clean floor socket**



**ORDERING INFORMATION**

Identification	Finish	ID no.
Top pivot GEZE PT 24	stainless steel	142738
GEZE TS 137 A	stainless steel	109621
GEZE easy clean floor socket		142739

## Studio range



Available as:

Latch UV



Latch lock PZ





Strike box



## Glass preparation

## Dimensions



**Studio range**

Studio latch UV



**ORDERING INFORMATION**

Identification	Finish	ID no.
Studio latch UV	satin stainless steel	144267
	polished stainless steel	144266

Studio PZ lock



**ORDERING INFORMATION**

Identification	Finish	ID no.
Studio PZ lock	satin stainless steel	144269
	polished stainless steel	144268

Studio bath lock cylinder



**ORDERING INFORMATION**

Identification	Finish	ID no.
Studio bath lock cylinder	nickel plated	144379

Studio strike box



**ORDERING INFORMATION**

Identification	Finish	ID no.
Studio strike box	satin stainless steel	144312
	polished stainless steel	144270


Handle



**ORDERING INFORMATION**

Identification	Finish	ID no.
Handle	satin stainless steel	144329
	polished stainless steel	144328

Hinge



**ORDERING INFORMATION**

Identification	Finish	ID no.
Hinge set (pair)	satin stainless steel	144350
	polished stainless steel	144349
Frame fixing	timber / metal frames	144346
	timber frames	144348

(Max leaf weight 45 kg)

## Junior range




Available as:

Latch UV




Latch lock PZ




Strike box



Glass preparation



Dimensions



**Junior range**

Junior latch UV



**ORDERING INFORMATION**

Identification	Finish	ID no.
Junior latch UV DIN L	satin stainless steel	144316
	polished stainless steel	144315
Junior latch UV DIN R	satin stainless steel	144314
	polished stainless steel	144313

Junior PZ lock



**ORDERING INFORMATION**

Identification	Finish	ID no.
Junior PZ lock DIN L	satin stainless steel	144320
	polished stainless steel	144319
Junior PZ lock DIN R	satin stainless steel	144318
	polished stainless steel	144317

Junior bath lock cylinder



**ORDERING INFORMATION**

Identification	Finish	ID no.
Junior bath lock cylinder	nickel plated	144380

Junior strike box



**ORDERING INFORMATION**

Identification	Finish	ID no.
Junior strike box DIN L	satin stainless steel	144325
	polished stainless steel	144324
Junior strike box DIN R	satin stainless steel	144323
	polished stainless steel	144322

Handle



**ORDERING INFORMATION**

Identification	Finish	ID no.
Handle (pair)	satin stainless steel	144329
	polished stainless steel	144328

Hinge



**ORDERING INFORMATION**

Identification	Finish	ID no.
Junior hinge (set of three)	satin stainless steel	144345
	polished stainless steel	144344
Frame fixing	timber / metal frames	144346
	timber frames	144348


(Max leaf weight 55 kg)

## GEZE products in combination with patch fittings

### PENDULO C

#### Transparency and functionality

GEZE Pendulo C is a door rail with an integrated door closer. It protects the exposed lower glass edge of the door against damage. Suitable for door leaves up to 1100 mm.




### FLOOR SPRINGS

#### Diversity and reliability

The GEZE floor springs control single-action and double-action doors reliably and unobtrusively.

The product range comprises floor springs for lightweight as well as heavyweight doors which maybe smoke and fire rated. The floor springs for double-leaf doors contain an integrated closing sequence control or additionally an electromechanical hold-open device. The floor springs with lever and guide rail are used for doors with hinges.

By using the GEZE floor springs in combination with GEZE glass fittings it is also possible to build first class double action glass doors in an easy and economical way, suitable for both commercial and domestic use.



**The GEZE TS 500 NV and TS 500 N EN3 floor springs – small but perfectly formed**

The exceptionally low overall height of only 42 mm is just one of the unmatched benefits of the TS 500 NV and TS 500 N EN3 floor springs for single action and double action doors. They are unobtrusive and the perfect choice for both new and retrofitted buildings. Their invisible method of functioning – even in all-glass doors – is also a great asset to small and medium-sized doors of up to 1100 mm and leaf weights of up to 150 kg. Used in conjunction with GEZE glass fittings, they enable elegant and attractive all-glass double action doors to be installed in not only highly frequented buildings (such as office complexes), but also private residences. The longevity of the high-quality individual components has been proven in practice, with 500,000 closing and opening cycles performed without any signs of wear.

**GEZE TS 500 NV / N EN3**



**low height** of only 42 mm (plus 3 mm in use with PT10)



**up to 150 kg leaf weight** (100 kg with TS 500 N EN3)



**closing force adjustable** size 1-4 according to EN 1154 (TS 500 N EN3 with fixed size 3)



**back check** fixed



**closing force adjustable**



**latching action adjustable** (for TS 500 NV only)



**optional hold-open device** 85°, 90°, 105°, 120°



**closing action from 175°**

**ORDERING INFORMATION**

Identification	Finish	ID no.
GEZE TS 500 NV	without hold-open	102084
GEZE TS 500 N EN3	without hold-open	103086
Cover plate with screw accessories	satin stainless steel	102127
	polished stainless steel	116526

## The floor spring GEZE TS 550 NV – convenient and secure

The TS 550 NV offers comfort and elegance for double action and single action doors with leaf weights up to 300 kg. The invisible functionality is an incontestable advantage for all-glass doors. Particularly when used with highly frequented doors in foyers (eg. office buildings and hall entrances) its versatility and robustness become even more apparent.

### GEZE TS 550 NV



**slim installation height** of only 54 mm (plus 3 mm in use with PT10)



interchangeable axle upper part for **door leaf weights up to 300 kg**



**infinitely adjustable closing force** EN3 to EN6



**integrated back check** to prevent hard shocks



individual **adjustable closing force**



**adjustable latching action** for secure closing



**infinitely variable hydraulic hold-open between 80° and 165°** und **integrated delayed closing action** against too rapid closing

### ORDERING INFORMATION

Identification	Finish	ID no.
<b>GEZE TS 550 NV</b>		123950
Cover plate, reinforced to 1.5 mm material thickness	satin stainless steel	125888



**GEZE GmbH**  
**P.O. Box 1363**  
**71226 Leonberg**  
**Germany**

GEZE Service GmbH NL Südwest  
 Reinhold-Vöster-Straße 25  
 71229 Leonberg  
 Tel. +49 (0) 7152-92 33 34

**GEZE GmbH**  
**Reinhold-Vöster-Straße 21-29**  
**71229 Leonberg**  
**Germany**  
**Telefon +49 (0) 7152-203-0**  
**Telefax +49 (0) 7152-203-310**

GEZE Service GmbH NL Nord-Ost  
 Bühringstraße 8  
 13086 Berlin (Weissensee)  
 Tel. +49 (0) 30-47 02 17 32

**www.geze.com**

GEZE Service GmbH NL West  
 Nordsternstraße 65  
 45329 Essen  
 Tel. +49 (0) 201-8 30 82 16

**Germany**  
 GEZE Sonderkonstruktionen GmbH  
 Planken 1  
 97944 Boxberg-Schweigern  
 Tel. +49 (0) 7930-9294-0  
 Fax +49 (0) 7930-9294-10  
 E-Mail: sk.de@geze.com

GEZE Service GmbH NL Mitte  
 Adenauerallee 2  
 61440 Oberursel  
 Tel. +49 (0) 6171-63 61 03

GEZE GmbH  
 Niederlassung Nord/Ost  
 Bühringstraße 8  
 13086 Berlin (Weissensee)  
 Tel. +49 (0) 30-47 89 90-0  
 Fax +49 (0) 30-47 89 90-17  
 E-Mail: berlin.de@geze.com

GEZE Service GmbH NL Süd  
 Keltnering 10  
 85658 Eggening  
 Tel. +49 (0) 8095-87 13 61

**Austria**  
 GEZE Austria GmbH  
 Mayrwiesstraße 12  
 5300 Hallwang b. Salzburg  
 Tel. +43-(0)662-663142  
 Fax +43-(0)662-663142-15  
 E-Mail: austria.at@geze.com

GEZE GmbH  
 Niederlassung West  
 Nordsternstraße 65  
 45329 Essen  
 Tel. +49 (0) 201-83082-0  
 Fax +49 (0) 201-83082-20  
 E-Mail: essen.de@geze.com

**Baltic States**  
 GEZE GmbH Baltic States office  
 Dzelzavas iela 120 S  
 1021 Riga  
 Tel. +371 (0) 67 89 60 35  
 Fax +371 (0) 67 89 60 36  
 E-Mail: office-latvia@geze.com

GEZE GmbH  
 Niederlassung Mitte  
 Adenauerallee 2  
 61440 Oberursel (b. Frankfurt)  
 Tel. +49 (0) 6171-63610-0  
 Fax +49 (0) 6171-63610-1  
 E-Mail: frankfurt.de@geze.com

**Benelux**  
 GEZE Benelux B.V.  
 Leemkuil 1  
 Industrieterrein Kapelbeemd  
 5626 EA Eindhoven  
 Tel. +31-(0)40-26290-80  
 Fax +31-(0)40-26 290-85  
 E-Mail: benelux.nl@geze.com

GEZE GmbH  
 Niederlassung Süd  
 Reinhold-Vöster-Straße 21-29  
 71229 Leonberg  
 Tel. +49 (0) 7152-203-594  
 Fax +49 (0) 7152-203-438  
 E-Mail: leonberg.de@geze.com

**Bulgaria**  
 GEZE Bulgaria - Trade  
 Representative Office  
 61 Pirinski Prohod, entrance „B“,  
 4th floor, office 5,  
 1680 Sofia  
 Tel. +359 (0) 24 70 43 73  
 Fax +359 (0) 24 70 62 62  
 E-Mail: office-bulgaria@geze.com

**China**  
 GEZE Industries (Tianjin) Co., Ltd.  
 Shuangchenzhong Road  
 Beichen Economic Development  
 Area (BEDA)  
 Tianjin 300400, P.R. China  
 Tel. +86(0)22-26973995-0  
 Fax +86(0)22-26972702  
 E-Mail: Sales-info@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.  
 Branch Office Shanghai  
 Unit 25N, Cross Region Plaza  
 No 899, Ling Ling Road,  
 XuHui District  
 200030 Shanghai, P.R. China  
 Tel. +86 (0)21-523 40 960  
 Fax +86 (0)21-644 72 007  
 E-Mail: chinasales@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.  
 Branch Office Guangzhou  
 Room 17C3  
 Everbright Bank Building, No.689  
 Tian He Bei Road  
 510630 Guangzhou  
 P.R. China  
 Tel. +86(0)20-38731842  
 Fax +86(0)20-38731834  
 E-Mail: chinasales@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.  
 Branch Office Beijing  
 Rm3A02, Building 3  
 ZhuBang 2000 Business Plaza  
 No.98, Balizhuang xili  
 Chaoyang District  
 100025 Beijing, P.R.China  
 Tel. +86 (0)10-8797 5177 /-78  
 Fax +86 (0)10-8797 5171  
 E-Mail: chinasales@geze.com.cn

**France**  
 GEZE France S.A.R.L.  
 ZAC de l'Orme Rond  
 RN 19  
 77170 Servon  
 Tel. +33-(0)1-606260-70  
 Fax +33-(0)1-606260-71  
 E-Mail: france.fr@geze.com

**Hungary**  
 GEZE Hungary Kft.  
 Bartók Béla út 105-113.  
 Budapest  
 H-1115  
 Tel. +36 (1) 481 4670  
 Fax +36 (1) 481 4671  
 E-Mail: office-hungary@geze.com

**Iberia**  
 GEZE Iberia S.R.L.  
 Pol. Ind. El Pla  
 C/Comerc, 2-22, Nave 12  
 08980 Sant Feliu de Llobregat  
 (Barcelona)  
 Tel. +34(0)9-02194036  
 Fax +34(0)9-02194035  
 E-Mail: info@geze.es

**India**  
 GEZE India Private Ltd.  
 MF 2 & 3, Guindy Industrial Estate  
 Ekkattuthangal  
 Chennai 600 097  
 Tamilnadu  
 Tel. +91 44 3061 6900  
 Fax +91 44 3061 6901  
 E-Mail: office-india@geze.com

**Italy**  
 GEZE Italia Srl  
 Via Giotto, 4  
 20040 Cambiago (MI)  
 Tel. +3902950695-11  
 Fax +3902950695-33  
 E-Mail: italia.it@geze.com

GEZE Engineering Roma Srl  
 Via Lucrezia Romana, 91  
 00178 Roma  
 Tel. +3906-7265311  
 Fax +3906-72653136  
 E-Mail: roma@geze.biz

**Poland**  
 GEZE Polska Sp.z o.o.  
 ul. Annapol 21  
 03-236 Warszawa  
 Tel. +48 (0)22 440 4 440  
 Fax +48 (0)22 440 4 400  
 E-Mail: geze.pl@geze.com

**Romania**  
 GEZE Romania s.r.l.  
 IRIDE Business Park,  
 Str. Dimitrie Pompeiu nr. 9-9a,  
 Building 10, Level 2, Sector 2,  
 020335 Bucharest  
 Tel.: +40 (0) 21 25 07 750  
 Fax: +40 (0) 21 25 07 750  
 E-Mail: office-romania@geze.com

**Russian Federation**  
 GEZE GmbH Representative  
 Office Russia  
 Kolodesnij pereulok3, str. 25  
 Office Nr. 5201-5203  
 107076 Moskau  
 Tel. +7 (0) 49 55 89 90 52  
 Fax +7 (0) 49 55 89 90 51  
 E-Mail: office-russia@geze.com

**Scandinavia – Sweden**  
 GEZE Scandinavia AB  
 Mallslingan 10  
 Box 7060  
 18711 Täby, Sweden  
 Tel. +46(0)8-7323-400  
 Fax +46(0)8-7323-499  
 E-Mail: sverige.se@geze.com

**Scandinavia – Norway**  
 GEZE Scandinavia AB avd. Norge  
 Industriveien 34 B  
 2073 Dal  
 Tel. +47(0)639-57200  
 Fax +47(0)639-57173  
 E-Mail: norge.se@geze.com

**Scandinavia – Finland**  
 Branch office of GEZE Scandinavia AB  
 Herrlantie 824  
 Postbox 20  
 15871 Hollola  
 Tel. +358(0)10-4005100  
 Fax +358(0)10-4005120  
 E-Mail: finland.se@geze.com

**Scandinavia – Denmark**  
 GEZE Danmark  
 Branch office of GEZE Scandinavia AB  
 Høje Taastrup Boulevard 53  
 2630 Taastrup  
 Tel. +45(0)46-323324  
 Fax +45(0)46-323326  
 E-Mail: danmark.se@geze.com

**South Africa**  
 DCLSA Distributors (Pty.) Ltd.  
 118 Richards Drive, Halfway House,  
 Ext 111  
 P.O. Box 7934, Midrand 1685  
 Tel. +27(0)113158286  
 Fax +27(0)113158261  
 E-Mail: info@dclsa.co.za

**Switzerland**  
 GEZE Schweiz AG  
 Bodenackerstrasse 79  
 4657 Dulliken  
 Tel. +41-(0)62-2855400  
 Fax +41-(0)62-2855401  
 E-Mail: schweiz.ch@geze.com

**Turkey**  
 GEZE GmbH Türkiye - İstanbul  
 İrtibat Bürosu  
 Ataşehir Bulvarı, Ata 2/3  
 Plaza Kat: 9 D: 84 Ataşehir  
 Kadıköy / İstanbul  
 Tel. + 90 (0) 21 64 55 43 15  
 Fax + 90 (0) 21 64 55 82 15  
 E-Mail: office-turkey@geze.com

**Ukraine**  
 Repräsentanz GEZE GmbH Ukraine  
 ul. Vikentija Hvoyki, 21,  
 office 151  
 04080 Kiev  
 Tel. +38 (0) 44 49 97 725  
 Fax +38 (0) 44 49 97 725  
 E-Mail: office-ukraine@geze.com

**United Arab Emirates/GCC**  
 GEZE Middle East  
 P.O. Box 17903  
 Jebel Ali Free Zone  
 Dubai  
 Tel. +971(0)4-8833112  
 Fax +971(0)4-8833240  
 E-Mail: geze@emirates.net.ae

**United Kingdom**  
 GEZE UK Ltd.  
 Blenheim Way  
 Fradley Park  
 Lichfield  
 Staffordshire WS13 8SY  
 Tel. +44(0)1543443000  
 Fax +44(0)1543443001  
 E-Mail: info.uk@geze.com

GEZE REPRESENTATIVE