



PREMDOR®

*The
Premium
Door
Collection*

2 Introduction



The Premium Door Collection from Premdor

The *Premium Door Collection* showcases a stunning selection of luxury Oak and Hardwood veneered doors for internal and external use. Including some of the most current and innovative designs available, as well as traditional door styles, this all-embracing collection allows you to select the perfect door.

Using either American White Oak or real hardwood veneers, this beautiful collection is manufactured to the highest specification and utilises supreme quality materials. This results in a range of robust doors, trialled and tested in real-life situations in some of the world's harshest environments.

The *Premium Door Collection* is available in a wide-range of metric and imperial sizes from stock. Certified fire doors and fully-finished internal door options are also available in most of the styles and designs presented.

A variety of glazed doors are also contained within this varied collection, allowing you to enhance darker rooms and bring natural light into the home. Utilising multiple panes of toughened glass in accordance with the relevant standards, glazed doors will undeniably become your home's focal point.

All doors within the *Premium Door Collection* are manufactured in accordance with the principles of either the Forest Stewardship Council® (FSC®) or the Program for the Endorsement of Forest Certification (PEFC), providing assurance that an independently audited route to market has been followed. The relevant certification for each door is represented through the use of either the FSC® or PEFC logo throughout this brochure.

In addition, doors within the *Premium Door Collection* are compliant with the new EU Timber Regulations, with all the necessary steps conducted to ascertain that the collection is not manufactured using illegally harvested timber or timber-based materials.

Who are Premdor?

Operating as part of the global Masonite® organisation, Premdor is one of the UK's leading door manufacturers. Headquartered in Barnsley, South Yorkshire, Premdor is the unrivalled industry leader in door innovation and has accumulated over 90 years' experience in door and joinery manufacturing. As a result, Premdor is now one of the best-known joinery brands amongst construction professionals and consumers.

Masonite® – The Beautiful Door Company

PREMDOR®

0844 209 0008 www.premdor.co.uk

Premdor, Birthwaite Business Park, Huddersfield Road, Darton, Barnsley, S75 5JS
Tel: 0844 209 0008, Fax: 0844 371 5333, Email: ukmarketing@premdor.com

Contents

Internal Doors

6 & 7	Croft Panel						
8 & 9	Roma Panel						
10 & 11	4 Panel						
12 & 13	2 Light Glazed						
14 & 15	6 Panel						
16 & 17	Wiltshire						
18 & 19	Salisbury						
20 & 21	Shaker						
22 & 23	Croft Solid						
24 & 25	Milano Solid						
26 & 27	Nice Solid						
28 & 29	Monaco Solid						

External Doors

32 & 33	Richmond					
34 & 35	Kensington					
36 & 37	Carolina					
38 & 39	Colonial					
40 & 41	Croft Solid					
42 & 43	Croft Solid Glazed					
44 & 45	Milano					
46 & 47	Croft Part L					
48 & 49	Chatsworth Part L					
50 & 51	Abbey Part L					
52 & 53	Penrhyn Part L					

4 Internal Door Range



Internal Door Range



Quality internal doors crafted with care

The *Premium Door* internal range includes a variety of fresh styles and designs in either a traditional Stile and Rail or a robust slab construction. Choose from the delectable Croft, with its beautiful vertical plank panel design, or the sophisticated Roma - perfect for rooms that require a contemporary finish.

- Manufactured using quality, PEFC certified and EUTR compliant materials.
- Grade A White American Oak veneers to both faces.
- Unfinished and pre-finished certified fire door options available.
- Pre-finished doors offered in majority of styles, utilising a three-part polyurethane coating system for lasting protection.
- Distinctive glazed door designs available, with glass toughened to current European Standards for extra safety.
- 5 Year Manufacturer's Guarantee.



Croft Panel

Painstakingly beautiful, the Croft will become the focus of any new home or refurbishment project. This real-wood veneered door exudes premium elegance with the decorative grain providing an outstanding appearance, ultimately highlighting the door's character, texture and style. Manufactured to ensure maximum strength and durability between the vertical stiles and horizontal rails, this 'cottage style' door has intricately grooved recessed panels, adding depth and dimension and a sense of realism to this stunning design.

Construction: Stile and Rail.

Veneer: Oak

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Croft Panel Stile & Rail

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82006	£190.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82007	£190.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82005	£190.00
711 x 1981 x 35mm (2' 4" x 6' 6")	82004	£190.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82003	£190.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82002	£190.00
533 x 1981 x 35mm (1' 9" x 6' 6")	82001	£190.00
457 x 1981 x 35mm (1' 6" x 6' 6")	82000	£190.00
826 x 2040 x 40mm Standard Metric	82010	£215.00
726 x 2040 x 40mm Standard Metric	82009	£215.00
626 x 2040 x 40mm Standard Metric	82008	£215.00

Internal Croft Panel Fireshield FD30

Standard Door Size	Code	Price
838 X 1981 X 44mm (2' 9" x 6' 6")	82013	£345.00
762 X 1981 X 44mm (2' 6" x 6' 6")	82012	£345.00
686 X 1981 X 44mm (2' 3" x 6' 6")	82011	£345.00





8 Internal Door Range



Roma Panel

As with the city that shares its name, the Roma door is renowned for its resilience, yet it oozes style and sophistication for all to admire. With elegant recessed panels displaying clean horizontal lines, this distinctive door will never fail to impress. Perfect for all domestic applications within both new build housing and renovations, the Roma is also available in a breath-taking glazed version. A single pane of toughened 4mm thick clear glass is printed with decorative frit print lines to create an original design.

Construction: Stile and Rail.

Veneer: Oak

Glazed Option: Single pane of glass printed with frit lines. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Roma Panel Stile & Rail

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82017	£200.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82016	£200.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82015	£200.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82014	£200.00

Internal Roma Panel Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82021	£345.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82020	£345.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82019	£345.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82018	£345.00

Internal Roma Panel Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82024	£230.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82023	£230.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82022	£230.00





4 Panel

For an eye-catching, yet conventional door, choose the classic 4 Panel Oak. Responsibly sourced real-wood veneers, which showcase the wonder and beauty of timber and its natural grain patterns, have been carefully hand-laid on a stile and rail construction to create this stunning piece of joinery. Supplied fully-finished or unfinished to allow you to choose your perfect stain or paint colour to match your interior, this traditional, yet remarkable door is a timeless classic and will suit all homes.

Construction: Stile and Rail; Raised and Fielded Panels sealed into stiles and rails to prevent rattling.

Veneer: Oak

Chain of Custody: PEFC

Finish: Supplied fully finished with a long-lasting polyurethane protection system or supplied unfinished ready for staining or painting.

Internal 4 Panel Stile & Rail

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82106	£190.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82107	£190.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82105	£190.00
711 x 1981 x 35mm (2' 4" x 6' 6")	82104	£190.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82103	£190.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82102	£190.00
533 x 1981 x 35mm (1' 9" x 6' 6")	82101	£190.00
457 x 1981 x 35mm (1' 6" x 6' 6")	82100	£190.00
826 x 2040 x 40mm Standard Metric	82110	£215.00
726 x 2040 x 40mm Standard Metric	82109	£215.00
626 x 2040 x 40mm Standard Metric	82108	£215.00

Internal 4 Panel Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82114	£345.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82113	£345.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82112	£345.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82111	£345.00
826 x 2040 x 44mm Standard Metric	82116	£375.00
726 x 2040 x 44mm Standard Metric	82115	£375.00

Internal 4 Panel Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82120	£275.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82119	£275.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82118	£275.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82117	£275.00
826 x 2040 x 40mm Standard Metric	82122	£300.00
726 x 2040 x 40mm Standard Metric	82121	£300.00

Internal 4 Panel Fireshield FD30 Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82125	£430.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82124	£430.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82123	£430.00
826 x 2040 x 44mm Standard Metric	82127	£460.00
726 x 2040 x 44mm Standard Metric	82126	£460.00







2 Light Glazed

Invigorate your home with the dazzling 2 Light Glazed internal door, made using real American White Oak veneers. Suitable for all rooms of the home, this alluring glazed option is popular within new build developments or as an internal door upgrade in existing homes. Utilising a single pane of toughened glass, natural light will gloriously shine through and brighten the home indefinitely.

Construction: Stile and Rail; Raised and Fielded Panels sealed into stiles and rails to prevent rattling.

Veneer: Oak

Glazing: Single pane of 4mm thick clear glass, toughened. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied fully finished with a long-lasting polyurethane protection system or supplied unfinished ready for staining or painting.

Internal 2 Light Glazed Stile And Rail

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82219	£215.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82220	£215.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82218	£215.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82217	£215.00
826 x 2040 x 40mm Standard Metric	82222	£245.00
726 x 2040 x 40mm Standard Metric	82221	£245.00

Internal 2 Light Glazed Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82225	£300.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82224	£300.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82223	£300.00
826 x 2040 x 40mm Standard Metric	82227	£330.00
726 x 2040 x 40mm Standard Metric	82226	£330.00







6 Panel

A traditional Oak panel door can be relied upon to act as a feature piece in any room of the house. Its opulent style and natural appeal perfectly complement timber themes, including wood flooring and real wood furniture. Using only the finest oak veneers, placed on a robust stile and rail construction, the 6 Panel door exudes splendour, perfect for Grade Listed Buildings and renovations.

Construction: Stile and Rail

Veneer: Oak

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal 6 Panel Stile & Rail

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82206	£200.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82207	£200.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82205	£200.00
711 x 1981 x 35mm (2' 4" x 6' 6")	82204	£200.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82203	£200.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82202	£200.00
533 x 1981 x 35mm (1' 9" x 6' 6")	82201	£200.00
457 x 1981 x 35mm (1' 6" x 6' 6")	82200	£200.00
826 x 2040 x 40mm Standard Metric	82210	£230.00
726 x 2040 x 40mm Standard Metric	82209	£230.00
626 x 2040 x 40mm Standard Metric	82208	£230.00

Internal 6 Panel Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82214	£375.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82213	£375.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82212	£375.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82211	£375.00
826 x 2040 x 44mm Standard Metric	82216	£400.00
726 x 2040 x 44mm Standard Metric	82215	£400.00







Wiltshire

Sometimes we require something a little bit different. In choosing the Wiltshire door, you will add flair and a little personality to rooms that require some uplift. Made from authentic wood veneers, this unique and enchanting door features a flat recessed panel with two matching dipped lines, running parallel to one another down each side of the face. A beautifully designed door, the Wiltshire will be sure to entice visitors to visit again and again. A dazzling Glazed version is also available, perfectly complementing either traditional or contemporary interiors.

Construction: Stile and Rail.

Veneer: Oak

Glazed Option: Single pane of 4mm thick clear glass. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Wiltshire

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82305	£215.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82306	£215.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82304	£215.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82303	£215.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82302	£215.00
533 x 1981 x 35mm (1' 9" x 6' 6")	82301	£215.00
457 x 1981 x 35mm (1' 6" x 6' 6")	82300	£215.00
826 x 2040 x 40mm Standard Metric	82309	£245.00
726 x 2040 x 40mm Standard Metric	82308	£245.00
626 x 2040 x 40mm Standard Metric	82307	£245.00

Internal Wiltshire Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82312	£390.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82311	£390.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82310	£390.00
826 x 2040 x 44mm Standard Metric	82314	£415.00
726 x 2040 x 44mm Standard Metric	82313	£415.00

Internal Wiltshire Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82318	£245.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82319	£245.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82317	£245.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82316	£245.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82315	£245.00
826 x 2040 x 40mm Standard Metric	82321	£275.00
726 x 2040 x 40mm Standard Metric	82320	£275.00







Salisbury

The handsome Salisbury Oak door will undoubtedly be the focus of attention within your chosen room. Perfect for both new housing and refurbishment projects, this distinctive door will be sure to stand out and create a buzz. Three fielded vertical panels provide a unique dimension to this stunning design, utilising an interior grade MDF and subsequently, eliminating all possibility of expansion and contraction post-installation. A single pane of 4mm toughened glass creates an astounding glazed option, with the central glazed panel drawing the eye to the door's deep recesses and sophisticated craftsmanship.

Construction: Stile and Rail; Raised and Fielded Panels.

Veneer: Oak

Glazed Option: Single pane of 4mm thick clear glass. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Salisbury

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82323	£230.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82322	£230.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82336	£230.00

Internal Salisbury Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82326	£400.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82325	£400.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82324	£400.00

Internal Salisbury Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82328	£260.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82327	£260.00







Shaker

Ensure you are right on trend by selecting the modish Shaker door for your next project. With remarkable flat recessed panels providing depth and dimension to the design, the Shaker will beautifully complement modern interiors and décor, allowing timber’s effortless appeal to elevate your project. Manufactured to ensure optimum strength, the Shaker exhibits fashionable flat panels and neat lines, engineered using real-wood white oak veneers. For when something even more original is required, choose the Shaker Glazed option, which incorporates a single pane of glass with an attractive screen print pattern.

Construction: Stile and Rail; Flat Recessed Panels.

Veneer: Oak

Glazed Option: 4mm thick Obscure glass with screen printed pattern design.

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Shaker

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82330	£190.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82329	£190.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82337	£190.00

Internal Shaker Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82333	£345.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82332	£345.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82331	£345.00

Internal Shaker Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82335	£215.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82334	£215.00







Croft Solid

The exclusive Croft design is also available in a solid construction. The Croft Solid exudes style and sophistication and encompasses tasteful grooved panel sections, which dramatically enhance the design. An eye-catching Glazed option is also available in this specification, encompassing a single pane of glass and a six light design. Minimal movement and maximum stability are guaranteed with this premium specification.

Construction: Slab Construction from engineered timber ; Grooved Panel Sections.

Veneer: Oak

Glazed Option: Single pane of 4mm thick clear glass. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied fully finished with a long-lasting polyurethane protection system or supplied unfinished ready for staining or painting.



Internal Croft Solid

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82406	£230.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82407	£230.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82405	£230.00
711 x 1981 x 35mm (2' 4" x 6' 6")	82404	£230.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82403	£230.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82402	£230.00
533 x 1981 x 35mm (1' 9" x 6' 6")	82401	£230.00
457 x 1981 x 35mm (1' 6" x 6' 6")	82400	£230.00
826 x 2040 x 40mm Standard Metric	82410	£260.00
726 x 2040 x 40mm Standard Metric	82409	£260.00
626 x 2040 x 40mm Standard Metric	82408	£260.00

Internal Croft Solid Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82414	£345.00
813 x 2032 x 44mm (2' 8" x 6' 8")	82415	£345.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82413	£345.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82412	£345.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82411	£345.00
826 x 2040 x 44mm Standard Metric	82417	£375.00
726 x 2040 x 44mm Standard Metric	82416	£375.00

Internal Croft Solid Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82432	£275.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82433	£275.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82431	£275.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82430	£275.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82429	£275.00
826 x 2040 x 40mm Standard Metric	82435	£300.00
726 x 2040 x 40mm Standard Metric	82434	£300.00

Internal Croft Solid Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82421	£375.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82420	£375.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82419	£375.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82418	£375.00
826 x 2040 x 40mm Standard Metric	82423	£400.00
726 x 2040 x 40mm Standard Metric	82422	£400.00

Internal Croft Solid Fireshield FD30 Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82426	£430.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82425	£430.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82424	£430.00
826 x 2040 x 44mm Standard Metric	82428	£460.00
726 x 2040 x 44mm Standard Metric	82427	£460.00

Internal Croft Solid Glazed Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82438	£375.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82437	£375.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82436	£375.00
826 x 2040 x 40mm Standard Metric	82440	£400.00
726 x 2040 x 40mm Standard Metric	82439	£400.00

Milano Solid

Designed to complement contemporary schemes and furnishings, the Milano is a truly delectable door, inspired by the fashion capital of the world. The sophisticated grooved panel face disguises a robust and solid core, lipped with hardwood pieces, wonderfully enhancing this cosmopolitan choice. A tasteful Glazed option is also available in the Milano style, featuring a single pane of 4mm clear glass with decorative frit print lines, resulting in an eye-catching door that will bring a touch of Italian-style to your next project.

Construction: Slab Construction;
Grooved Panel Sections.

Veneer: Oak

Glazed Option: Single pane of 4mm thick clear glass with decorative horizontal frit print lines. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied fully finished with a long-lasting polyurethane protection system or supplied unfinished ready for staining or painting.



Internal Milano Solid

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82505	£230.00
813 x 2032 x 35mm (2' 8" x 6' 8")	82506	£230.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82504	£230.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82503	£230.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82502	£230.00
533 x 1981 x 35mm (1' 9" x 6' 6")	82501	£230.00
457 x 1981 x 35mm (1' 6" x 6' 6")	82500	£230.00
826 x 2040 x 40mm Standard Metric	82509	£260.00
726 x 2040 x 40mm Standard Metric	82508	£260.00
626 x 2040 x 40mm Standard Metric	82507	£260.00

Internal Milano Solid Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82513	£345.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82512	£345.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82511	£345.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82510	£345.00
826 x 2040 x 44mm Standard Metric	82515	£375.00
726 x 2040 x 44mm Standard Metric	82514	£375.00

Internal Milano Solid Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82529	£275.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82528	£275.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82527	£275.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82526	£275.00
826 x 2040 x 40mm Standard Metric	82531	£300.00
726 x 2040 x 40mm Standard Metric	82530	£300.00

Internal Milano Solid Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82518	£315.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82517	£315.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82516	£315.00
826 x 2040 x 40mm Standard Metric	82520	£345.00
726 x 2040 x 40mm Standard Metric	82519	£345.00

Internal Milano Solid Fireshield FD30 Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82523	£430.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82522	£430.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82521	£430.00
826 x 2040 x 44mm Standard Metric	82525	£460.00
726 x 2040 x 44mm Standard Metric	82524	£460.00

Internal Milano Solid Glazed Fully Finished

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82533	£375.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82532	£375.00
826 x 2040 x 40mm Standard Metric	82535	£400.00
726 x 2040 x 40mm Standard Metric	82534	£400.00







Nice Solid

The Nice door’s grooved panel sections produce a unique square design, making it the perfect choice for contemporary projects. Chic, just like its city namesake, Nice’s exquisite real-wood oak veneers provide an outstanding appearance, yet, do not overshadow the cheerfully patterned façade. To further enhance this style, a Glazed version is also available to order, produced using a single pane of glass, which provides the appearance of a unique three-light design.

Construction: Slab Construction (from engineered timber); Grooved Panel Sections.

Veneer: Oak

Glazed Option: Three panes of 4mm thick clear glass. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Nice Solid

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82603	£245.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82602	£245.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82601	£245.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82600	£245.00

Internal Nice Solid Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82607	£375.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82606	£375.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82605	£375.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82604	£375.00

Internal Nice Solid Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82611	£290.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82610	£290.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82609	£290.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82608	£290.00





Monaco Solid

The Monaco door is undoubtedly one of a kind. With unique diagonal grooves producing an individual, yet stunning panelled design, this premium option will certainly become a talking point within any new home or renovation. Luxuriously stylish, the Monaco has a solid construction with quality hardwood lippings secured on all four-sides of the door. A spectacular Glazed option, incorporating a single pane of toughened glass, is also available, adding a touch of prestige to the home.

Construction: Slab Construction (from engineered timber); Grooved Panel Sections.

Veneer: Oak

Glazed Option: Single pane of 4mm thick clear glass. Glass toughened in accordance with BS EN 12150. Glass is secured with glazing compound.

Chain of Custody: PEFC

Finish: Supplied unfinished ready for staining or painting.

Internal Monaco Solid

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82614	£275.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82613	£275.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82612	£275.00
610 x 1981 x 35mm (2' 0" x 6' 6")	82622	£275.00

Internal Monaco Solid Fireshield FD30

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	82618	£400.00
762 x 1981 x 44mm (2' 6" x 6' 6")	82617	£400.00
686 x 1981 x 44mm (2' 3" x 6' 6")	82616	£400.00
610 x 1981 x 44mm (2' 0" x 6' 6")	82615	£400.00

Internal Monaco Solid Glazed

Standard Door Size	Code	Price
838 x 1981 x 35mm (2' 9" x 6' 6")	82621	£330.00
762 x 1981 x 35mm (2' 6" x 6' 6")	82620	£330.00
686 x 1981 x 35mm (2' 3" x 6' 6")	82619	£330.00







External Door Range



Premium external doors that can withstand anything.

You are bound to find your perfect door within Premdor's premium external range. Including both real American White Oak and hardwood veneered doors in a variety of eye-catching designs, doors are either Mortise & Tenon constructed or provided in a solid specification. A selection of Part L compliant doors complete this remarkable external range.

- Manufactured using quality, FSC® certified and EUTR compliant materials.
- American White Oak or hardwood veneers to both faces.
- Stable Door options available.
- All doors are supplied unfinished, ready for staining or painting to the desired colour.
- Distinctive glazed door designs available, utilising insulated multiple pane glass units for reduced heat loss and increased sound proofing.
- Glass toughened to European Standard BS EN 12150 for extra safety.
- Decorative obscure pattern to glass assuring privacy.
- 5 Year Manufacturer's Guarantee.



Richmond M&T

For a classic external wood door with a design that has stood the test of time, select the Richmond. Owing to its steadfast durability and timeless style, this dependable door has become the perfect example of traditional British style and is perfect for restoration projects. This sturdy, real hardwood veneered door utilises the traditional wedged and mortice tenon joint construction, providing maximum strength between the stiles and rails and ensuring that your external door will withstand the toughest conditions.

Construction: Mortise & Tenon Joint Construction;
Raised & Fielded Panels.

Veneer: Hardwood - Meranti

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 2.9w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

External Richmond Unglazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81700	£260.00

External Richmond Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81702	£375.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81703	£375.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81701	£375.00







Kensington M&T

The decadent Kensington door allows sunlight to brighten-up even the darkest corners of the home. The Kensington seamlessly combines opulent real hardwood veneers, with their grain pattern highlighted by the sunlight radiating through, with a decorative obscure glazed design. Perfectly suited for back door locations, the Kensington exterior door is the perfect entryway between home and garden and will transform kitchen or dining room areas into a well-lit, comfortable retreat from the stresses of the outside world.

Construction: Mortise & Tenon Joint Construction; Raised & Fielded Panels.

Veneer: Hardwood - Meranti

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 2.9w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

Exterior Kensington Unglazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81711	£260.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81710	£260.00

External Kensington Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81713	£375.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81714	£375.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81712	£375.00







Carolina

M&T

The Carolina never fails to impress homeowners and their guests. With an attractive fan light design crowning this impressive door, the Carolina allows natural light to shine through and brightens entrance spaces as well as maintaining privacy and security. The sturdy Carolina provides optimal resistance against the elements with a tried and trusted mortise and tenon joint construction, making it the perfect entry door for renovations. Skilfully fashioned raised and fielded panels add dimension and define this stunning door.

Construction: Mortise & Tenon Joint Construction; Raised & Fielded Panels.

Veneer: Hardwood - Meranti

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 2.9w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

External Carolina Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81705	£430.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81706	£430.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81704	£430.00







Colonial M&T

When a classic door with lots of appeal is required, try the astounding Colonial door. With a versatile raised and fielded six panel design, the Colonial can effortlessly complement any colour scheme or interior décor. The natural qualities and unique grain pattern of the real hardwood veneers allows the Colonial to be utilised within renovation projects, particularly those with wooden features and furnishings, such as Oak panelling or exposed trusses.

Construction: Mortise & Tenon Joint Construction; Raised & Fielded Panels.

Veneer: Hardwood - Meranti

U-Value = 2.9w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

External Colonial Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81708	£400.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81709	£400.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81707	£400.00







Croft Solid

Few doors can match the performance qualities and the demeanour of the splendid Croft; a traditional ‘cottage-style’ entry door available in a variety of options to match your project’s requirements. Containing premium solid, high-moisture resistant MDF core constructions and real-hardwood veneers and lippings, the Croft collection provides optimal resistance against harsh weather. Suitable for both modern and period-style homes, the planked effect vertical panels are routed using the most advanced techniques in door manufacturing thus, providing this door with both charm and appeal.

Construction: Full Slab High Moisture Resistant MDF Construction; Hardwood Lippings; Grooved Panel Sections.

Veneer: Hardwood - Meranti

U-Value = 2.1w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

External Croft Solid

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81804	£400.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81805	£400.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81803	£400.00







Croft Solid Glazed

Three glazed versions of the exhilarating Croft Solid door allow you to select the perfect option for your next project. Choose the Triple Glazed Croft, with a vertical panel design perfectly aligning to form a soft arch design at the top of the door crowned with a glass light with a leaded design, to add a stunning feature door to the home.

A fashionable Four Light version is also available and is ideally suited for new homes that require a little originality to stand-out from similar styled dwellings.

Perfect for those who want to bring the outside in, is the Croft Stable door option. Incorporating the unique leaded glazed design, the Stable option includes weather seals to both meeting rails to prevent cold ingress, culminating in a cosy, draught-free home. Two weatherboards are also supplied to prevent water penetration at the meeting and bottom rails.

Construction: Full Slab High Moisture Resistant MDF Construction; Hardwood Lippings; Grooved Panel Sections.

Veneer: Hardwood - Meranti / Oak (4 Light only)

U-Value = 2.2w / m²k

Glazed Options: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

External Croft Triple Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81801	£460.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81802	£460.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81800	£460.00

External Croft Double Glazed 4 Light

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81807	£575.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81808	£575.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81806	£575.00

External Croft Stable Triple Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81810	£540.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81811	£540.00
762 x 1981 x 44mm (2' 6" x 6' 6")	81809	£540.00



The mark of responsible forestry



Milano Solid

The Milano external door is perfect for modern homes, such as bespoke renovations and apartment complexes. With its fetching style, the Milano makes an original entry door that will best represent your inner creativity and design flair. The Milano comprises a solid construction using a High Moisture Resistant MDF that provides maximum stability and ultimately, reassurance for homeowners. The Milano's real Oak veneers provide warmth and subtly complement wooden flooring and furnishings.

A stylish Glazed option is also available, perfect for locations that require a more natural light to further enhance entryways.

Construction: Full Slab High Moisture Resistant MDF
Construction; Hardwood Lippings; Grooved Panel Sections.

Veneer: Oak

Glazed Option: Insulated multiple pane glass units.
Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 2.1w / m²k (Solid)

U-Value = 2.4w / m²k (Glazed)

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

External Milano

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81814	£400.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81815	£400.00

External Milano Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81812	£545.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81813	£545.00



The mark of responsible forestry







Croft Part L

A firm favourite among homeowners, the ever popular Croft is also available as a Part L compliant door option. The Croft's grooved panels are smoothly aligned in a plank effect design and are insulated to maximise heat retention, allowing the door to meet the thermal efficiency values defined in Part L of the current Building Regulations.

A Triple Glazed version of the sleek Croft design matches modern tastes and features a small diamond-effect vision panel, comprised of multiple insulated panes of glass.

For renovations, particular barn conversions or Grade Listed restorations, a Stable Croft offering is also available. Supplied unfinished ready for painting or staining to your desired colour, this style also contains the delightful lead-work vision panel. The Croft Stable includes weather seals to both meeting rails and weatherboards to prevent water ingress.

Construction: Engineered Construction; Grooved Panels.

Veneer: Oak

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 1.8w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

Part L External Croft Triple Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81900	£575.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81901	£575.00

Part L External Croft Stable Triple Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81902	£645.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81903	£645.00



The mark of
responsible forestry





Chatsworth

Part L

The distinctive Chatsworth door is guaranteed to leave a lasting impression on all visitors who enter your home. Compliant with Part L of the current Building Regulations, the regal demeanour of this outstanding door will dominate your entryway and will certainly make a real style statement, leaving your guests awestruck. The Chatsworth encompasses a unique style of two rectangular raised and fielded panels either side of the door and two square panels perfectly framing the insulated multiple pane glass unit, which has increased sound proofing properties and reduces heat loss. With beautiful real Oak veneers disguising the natural sturdiness and robustness of this popular door, the Chatsworth promises to be a worthy investment.

Construction: Engineered Construction; Raised & Fielded Panels.

Veneer: Oak

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 1.8w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

Part L External Chatsworth Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81904	£660.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81905	£660.00







Abbey

Part L

Withstanding consistent usage and every day wear and tear, the Abbey door is perfect for the busy family home. Ideal for both new builds and renovations, the versatile Abbey encompasses a delightful fan light design at the top of the door, which caps a traditional raised and fielded four panel design, insulated to maximise heat retention and consequently, meet Part L of the current Building Regulations. The Abbey effortlessly showcases real wood white oak veneers to both faces of the door, with the natural, decorative grain providing an outstanding appearance, perfectly complementing traditional and contemporary interior schemes.

Construction: Engineered Construction; Raised & Fielded Panels.

Veneer: Oak

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 1.8w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

Part L External Abbey Double Glazed

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81906	£660.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81907	£660.00







Penrhyn Part L

The versatility of the Penrhyn means that this stunningly designed door remains a popular choice, which can be utilised within any room of the home. Truly stylish, the elegant Penrhyn door features a classic raised and fielded four panel design, which superbly complements all interior décor and can be used as either a front or back door. With insulated multiple pane glass units, the Penrhyn meets the thermal efficiency values defined in Part L of the current Building Regulations making the Penrhyn an obvious choice for either new build or renovation projects.

Construction: Engineered Construction;
Raised & Fielded Panels.

Veneer: Oak

Glazed Option: Insulated multiple pane glass units. Decorative obscure glass is toughened in accordance with European Standard BS EN 12150. Glazing secured using high-quality security glazing tapes.

U-Value = 1.6w / m²k

Chain of Custody: FSC®

Finish: Supplied unfinished ready for staining or painting to the desired colour.

Part L External Penrhyn

Standard Door Size	Code	Price
838 x 1981 x 44mm (2' 9" x 6' 6")	81908	£545.00
813 x 2032 x 44mm (2' 8" x 6' 8")	81909	£545.00





Internal *Premium Door Collection* General Specification

Door Thickness

Imperial doors: 35mm (1 3/8") or 44mm (1 3/4").

Metric doors: 40mm

Fireshield FD30 doors: 44mm (1 3/4").

Door Finishing

Croft, Roma, 4 Panel, 6 Panel, 2 Light Glazed, Wilshire, Salisbury, Shaker, Croft Solid, Milano, Nice and Monaco doors are supplied unfinished ready for painting or staining.

Apply a minimum of three top coats of a high-quality interior door finish specifically formulated to protect interior doors. Ensure the finish manufacturer's recommendations are followed, ensuring that the door is correctly primed and under-coated.

Premdor do not recommend the use of varnish as there may be adhesion issues due to the resinous nature of some hardwoods. Do not apply varnish coatings to these doors.

Do not use oils (e.g. Danish Oil) waxes, polishes or dyes as these products do not adequately seal the door and can lead to delamination of the veneer(s).

Coatings must be regularly maintained to prevent a breakdown of the protective paint or stain film, which can lead to moisture ingress / loss and deterioration of the door.

4 Panel, 2 Light Glazed, Croft Solid and Milano doors are also supplied as fully-finished options. Doors are finished with a three part Polyurethane coating for lasting protection.

Pairs

Singles doors featuring bevel edged or decorative glass should be hung selectively to ensure fully-matched glazing, if used as pairs.

Options

Please note, that Option Plus door servicing is not available on *Premium Door Collection* options.

Premium Door Collection doors are not available for use within Premdor's SpeedSet Plus or SoundSecure doorsets.



Environmental Policy

All internal doors within the Premium Door Collection are environmentally third-party certified PEFC™.



Guarantees

Guaranteed for five years against manufacturing defects.

Guarantees are subject to the products being treated in accordance with Premdor's instructions for storage, handling, installation, maintenance and use, this excludes ironmongery where applicable (see below). Failure to follow these instructions may invalidate your guarantee. This does not affect your statutory rights.

Product Availability

All products are normally available ex-stock.

Ordering

Door prices exclude ironmongery and frames. Except where stated, doors supplied will require on-site finishing. When ordering, please ensure you state the correct product code. All prices exclude VAT. Specifications may vary at Premdor's option.

Storage and Handling

Doors should be stored and handled as prescribed in the BS Code of Practice BS 8000 Part 5 1990.

Doors should be laid flat on three equal thickness bearers located along the door length to evenly distribute weight and avoid damage, and kept dry and clean inside any polythene packaging until immediately before painting/staining. Do not store or install in an area that may be subject to extremes of temperature.

It is essential that precautions are taken to prevent moisture content build up. Particular care is needed in centrally heated or air conditioned buildings. Premdor must be informed at the time of tender and order whenever doors are needed for such buildings.

The testing and rapid switching on and off of heating during the construction is detrimental to joinery.

Doors should not be exposed to sunlight since natural shading or fading might occur. It is important that any packaging material (shrink wrap etc.) is left on the door for as long as is practically possible to avoid damage to door surfaces. This is particularly relevant to fully finished products.

Installation

Doors should be fitted as prescribed in the BS Code of Practice BS 8000 Part 5 1990.

It is essential that doors be fully sealed and any air gaps plugged, immediately after delivery. They should be sealed and knotted and primed on both faces and all four edges, and should then be fully finished, preferably before installation.

If, when installing doors, a reduction in overall size is required, it is important that equal amounts are taken from opposite edges. Allowable trim dimensions available on request.

When fitting locks and latches in doors, it is important to ensure that the construction and performance of the door is not adversely affected.

For lightweight interior doors use 1 pair 3" hinges. If the weight of the interior door exceeds 20kg, or if the door is to be hung between areas with different humidity levels, then 1 1/2 pairs of hinges are required.

Fire doors must be installed in accordance with Certifire instructions that are provided with each door.

Finishing

Decoration should be carried out in accordance with BS 6150: 2006 and BS 8000 Part 5: 1990.

Products must be clean and dry prior to finishing, having a moisture content which is no greater than the average for the intended location. Always follow the instructions provided with the stain or paint which is to be applied.

It is important that the finishing system is balanced by equal application to both sides at the same time to ensure that an imbalance of moisture does not occur, particularly in the decoration of doors.

The complete surface area should be fully treated with topcoat paint or stain prior to installation. To ensure adequate coverage at least three coats of topcoat paint/stain needs to be applied. All edges, rebates for glazing and any areas which have been cut, drilled, etc must be fully painted/ stained to the same standard as the rest of the door.

Premdor has no control over customer applied finishes of doors and therefore cannot accept any claims for problems of any type relating to customer finishing of the doors.

Do not use oil (e.g. Danish Oil) waxes, polishes or dyes as they do not properly seal the door and can lead to delamination of the veneer.

Coatings must be regularly maintained to prevent a breakdown of the protective paint or stain film, which can lead to moisture ingress/loss and deterioration of the door.

External *Premium Door Collection* General Specification

Door Thickness

Standard doors: 44mm (1¾")

Glazing

Glazed external doors incorporate insulated multiple pane glass units. The decorative obscure glass is toughened in accordance with European Standard BS EN 12150. The units are secured using high-quality security glazing tapes.

Door Finishing

There can be no guarantee against moisture ingress and loss-related problems (such as swelling, shrinkage, warping, splits and open joints) if the door is not correctly coated with a quality exterior door finish specifically formulated to protect exterior doors.

External doors within the *Premium Door Collection* require full decoration prior to installation. Please note, that hardwood products may vary in finished appearance due to colour variation in timber materials.

Do not use non-permeable coatings on exterior doors. If using a water-based product, this may lift the fibres of the timber veneer. Do not use waxes, polishes, dyes or oils (e.g. Danish Oil) as they do not adequately seal the door and can lead to delamination of the veneer. Do not apply varnishes to the door. This is because of the resinous nature of some hardwoods which can cause adhesion issues, resulting in a breakdown of the coating.

No factory applied preservative treatment is applied as part of any standard door specification. Protection against moisture ingress is essential to longevity of any external product, and initial decoration must be appropriately applied and the coating maintained for the installed life of the door. Premdor warranty cover is specific to this and the points above.

Weather Protection

To ensure the chosen door provides adequate performance in exposed situations, it is recommended that installation is within a porch or canopy. This is particularly critical with open in doors.

Letterplates

If a letterplate is required, it is recommended that the letterplate be of the sleeved type to ensure protection against water ingress into the exposed door core.

Face Fixed Weatherboards

On external doors, the addition of a face fixed weather-board is recommended. For prices, please contact Premdor directly.

Thermal Efficiency

External entrance doors for use in all new build housing associated with planning consent - and as subsequent replacements - are required to have a thermally efficient 'U' value. The 'U' value required for a particular application will be given in the local building regulations. The 'U' values quoted in this brochure are the manufacturer's calculations, based on the door leaf being hung in a timber frame to produce a doorset size of 1000mm x 2000mm.

Please check that the 'U' value quoted in this brochure is low enough to meet the requirements of the building regulations in the location where the door will be installed.

Premium Door Collection Part L Doors

'U' values are indicated alongside products in this section for guidance only. All values shown are the manufacturer's calculations, based on material content for an 838mm size door within a doorset. The 'U' value indicates the thermal efficiency (w/m²/k) and the lower the 'U' value, the greater the energy saving. For further information, see Building Regulations 'Part L'.

Part L doors within the external *Premium Door Collection* are compliant with the mandatory thermal efficiency level for doors in new build dwellings. They can also be used for refurbishment purposes or upgrades if a thermally insulating door is preferred or beneficial.



Guarantees

Guaranteed for five years against manufacturing defects.

Guarantees are subject to the products being treated in accordance with Premdor's instructions for storage, handling, installation, maintenance and use and excludes ironmongery, where applicable. Failure to follow these instructions may invalidate your guarantee. This does not affect your statutory rights.

Product Availability

All items shown are normally available ex-stock. Some designs may be discontinued during the life of this brochure.

Ordering

Door prices exclude letterplate aperture, ironmongery and frames, unless otherwise stated. External doors within the *Premium Door Collection* will require on-site finishing. When ordering, please ensure you state the correct product code. All prices exclude VAT. Specifications may vary at Premdor's option.

Environmental Chain of Custody

Please note that where products are supplied with third party environmental accreditation, it is the purchaser's responsibility to ensure continuity of certification as required through the supply chain.

General Information

Reproduction

Drawings and photographs are intended as being illustrative only and do not represent a product offering. Colours and photographs depicted are as accurate as photographic and printing processes can allow.

Catalogue Supplies

For merchant customers who wish to receive copies of our catalogues, please request with your order, or email at ukcatalogues@premdor.co.uk

Trade Descriptions Act 1968

In the interest of continuous product design and improvement, Premdor reserves the right to alter specifications and descriptions or withdraw products without prior notice.

The current specifications of any product are available on request and whilst every effort is made to produce up to date literature, this catalogue should only be regarded as a guide to current specifications.

It does not constitute an offer for the sale of any particular product.

Storage, Handling, Installation, Maintenance and Use

Storage and Handling

Doors and doorsets should be stored and handled as prescribed in BS Code of Practice BS 8000 Part S 1990.

Doors and doorsets should be kept dry and clean inside the polythene packaging until immediately before painting/staining. Do not store or install in an area that may be subject to extremes of temperature. Use a dry, well ventilated building, in areas which have not been recently plastered.

It is essential that precautions are taken where there is a risk of moisture content build up. Particular care is needed in centrally heated or air conditioned buildings. Premdor must be informed at the time of tender and order whenever doors are needed for such buildings. The testing and rapid switching on and off of heating during the construction is detrimental to joinery.

Doorsets are heavy! Take care when lifting or handling. Consider fully any handling risk, including danger from glazed panels.

Installation

Doors and doorsets should be fitted as prescribed in the BS Code of Practice CP151.

It is essential that doors be fully sealed and any air gaps plugged, immediately after delivery. They should be sealed and knotted and primed on both faces and all four edges, and should then be fully finished, preferably before installation. Any surface subsequently cut should be primed before the door is fixed into position. This particularly applies when end grain is exposed.

Use

Coated surfaces require regular maintenance and cleaning at least annually to remove surface pollution. Some 'chalking' of the finish may occur over time due to natural erosion of the microporous paint film. This does not detract from the systems protective performance.

On occasion timber products may naturally exude resin after installation. Typically, if resin is present this 'bleeding' cannot be prevented and Premdor are unable to accept liability.

Discolouration can occur which will require attention and maintenance to retain the aesthetics and integrity of the coating. Resin exudation is excluded from our performance guarantee.

Exposure conditions can vary significantly according to location. South facing elevations and coastal sites will reduce to some extent the finish life to first maintenance. Our guarantees are intended to cover reasonable average UK conditions.

Terms and Conditions

1. General

(1) 'The Company' means Premdor Crosby Ltd and shall include any principal agent successor or assignee of the same and 'the Customer' means the person, firm or company to whom a quotation is addressed or whose order is accepted by the Company and 'the goods' means the product of the Supplier which is the subject of such quotation or order.

(2) All prices quoted by the Company are based upon these Conditions of Sale and reflect the limitations upon the Company's liability which they contain. Should any customer wish to contract with the Company otherwise than on the terms of such Conditions of Sale special arrangements can be made and a revised price quoted by the Company.

(3) In the absence of any such special arrangement (which shall not bind the Company unless made in writing and signed on the Company's behalf by a person duly authorised for that purpose) all quotations given and all contracts made by the Company and any additions or amendments thereto shall be subject to these Conditions of Sale which supersede and shall be taken to override any terms or conditions proposed or stipulated by the Customer.

(4) No agent or salesman of the Company has authority to give any guarantee or warranty on behalf of the Company or to transact business other than on the (unamended) terms of these Conditions of Sale.

2. Limits Of Contract

No binding contract is created until an order is accepted by the Company and all prior correspondence or oral communications are to be regarded as superseded and not forming part of the contract. Prices quoted are subject to revision for errors and omissions at any time.

3. Agents

The term 'agent' as applied to those persons firms or companies either in the United Kingdom or elsewhere with whom the Company has made arrangements for the sale of its goods is a nominal one, and indicates only that they are local representatives appointed for the convenience of customers and through whom enquiries or orders may be received and dealt with by the Company.

They are not authorised by the Company to incur any liability, give any guarantee or warranty, make any representations or transact any business whatsoever on behalf of the Company other than the offering for sale of the Company's goods upon the terms of these Conditions.

4. Technical Data

All drawings, descriptive matter, price lists or advertisements, whether or not supplied with this quotation or tender are approximate only and intended merely to give a general idea of the goods described therein and shall not form part of the contract. The Company offers its designs for the Customer's approval. Unless supplied or approved by the Company it undertakes no responsibility for sites or foundations, or for any framework or support, or for compliance with any local bye-laws or statutory regulations, or for the fulfilment of any special requirements which the Customer may be bound to observe or fulfil. Copyright in any such items as are referred to shall remain with the Company.

5. Title

The implied undertakings as to title etc. set out in Section 12 of the Sale of Goods Act 1978 shall be express terms of the contract between the Company and the Customer.

6. Price

(1) Unless a quotation or tender has been submitted the price of the goods shall be the price ruling at the date of despatch notwithstanding any price specified in any order or order acceptance.

(2) If a quotation or tender has been submitted by the Company it will accept orders which are received within the time limit specified therein at the price stated in that quotation or tender.

(3) The price of the goods shall be subject to the addition of value added and other taxes and the cost of any special packing required by the Customer.

(4) Any increase in costs or expenses arising from any act or omission or any special requirements of the Customer or any modifications made at the Customer's request may, at the Company's option, be charged to the Customer.

(5) A delivery charge will be payable where the order value is less than the minimum order value required at time of ordering as stated in the Company's 'Delivery Charges' document, available on request. The Company shall determine the route and method of carriage and any special requirements of the Customer shall be subject to an additional charge.

7. Variations To Specifications

The Company reserves the right to constantly review its products and to alter and improve the specifications or dimensions of the components or materials used to substitute other components or materials of similar strength, specification, dimensions or quality, either when the components or materials specified are not readily available or the Company considers that the substituted components or materials are a reasonable alternative or improvement to the components or materials specified.

8. Delivery

(1) Any time or date for the despatch or delivery for goods or for the completion of work whether specified in the Company's quotation or otherwise given by the Company shall be taken as an estimate made by the Company in good faith but shall not be binding upon the Company either as a term of the contract or otherwise. In no circumstances shall the Company be liable for any loss or damage sustained by the Customer in consequence of failure to deliver within such time or by such date or in consequence of any other delay in delivery however caused.

(2) Unless otherwise agreed in writing delivery shall be made at the premises specified by the Customer or the Customer's carrier. Subject to Condition 8 (4) the risk in the goods shall pass to the Customer upon delivery. It is the Customer's responsibility to dispose of all packaging after delivery.

(3) The Company may deliver the goods in installments and separate contract upon the terms of these Conditions of Sale.

(4) If delivery of the goods is delayed through any act or omission of the Customer, the Company may put the goods into storage at the Customer's risk and expense.

(5) The customer undertakes to inspect the goods upon delivery and shall be deemed to have accepted the goods upon the earlier of payment in full for the goods or 5 days after the delivery has been made, if the Company has (i) not been notified of the Customer's refusal to accept the goods or (ii) pursuant to such a claim has not complied with condition 9 below.

9. Loss Or Damage In Transit

(1) Where the Customer wishes to adjust the invoiced value for goods delivered by the Company, in respect of a claim against the Company for (i) goods lost in transit or (ii) edge damage to goods in transit or (iii) any other damage to goods that is reasonably identifiable at the time of the delivery, then the Customer must provide details of the claim in writing on the face of the delivery note that accompanied the goods.

(2) Where the Customer's claim relates to (i) damage that cannot be reasonably identified at the point of delivery or (ii) the goods delivered are incorrect in that they vary in style or description from the Customer's order or the details contained in the delivery note, then the Customer must inform the Company in writing within 48 hours of the delivery being made.

(3) Any liability which the Company may incur for loss of or damage to the goods whilst in transit shall in no case exceed the invoice value of the goods and in no circumstances shall the Company be liable for any indirect or consequential loss however caused.

10. Payment

(1) Unless otherwise agreed in writing, all accounts shall be paid net at the Company's registered office on or before the last day of the month following the date of the Company's invoice. Cheques and money orders shall be made payable to or to the order of the Company. Only the Company's official receipt will be treated as valid. Time shall be of the essence.

(2) The Company shall be entitled to charge interest on all overdue accounts at a rate of 2% per month above the base rate from time to time of National Westminster Bank plc on the outstanding balance.

11. Passing Of Property

(1) The goods shall remain the sole and absolute property of the Company until such time as the Customer shall have paid to the Company the agreed price together with the full price of any other goods the subject of any other contract with the Company provided that the Company at its sole discretion may upon expiry of the six month period from the date of the Company's invoice release its title to the goods the subject of the invoice without notice to the Customer.

(2) The Customer acknowledges that the Customer is in possession of goods solely as bailee for the Company until such time as the full price thereof is paid to the Company together with the full price of any other goods the subject of any other contract with the Company.

(3) Until such a time as the Customer becomes the owner of the goods, the Customer will store them on his premises separately from the Customer's own goods or those of any other person and in a manner which makes them readily identifiable as the goods of the Company.

(4) The Customer's right to possession of the goods shall cease if he, not being a company, commits an available act of bankruptcy or if he, being a company does anything or fails to do anything which would entitle a Receiver to take possession of any assets or which would enable any person to present a petition for winding-up. The Company may for the purpose of recovery of its goods enter upon any premises where they are stored or where they are reasonably thought to be stored and may repossess the same.

(5) Subject to the terms hereof the Customer is licensed by the Company to agree to sell the Company's goods, subject to the express condition that such an agreement to sell shall take place as agents and bailee's for the Company whether the Customer sells on his own account or not and that the entire proceeds thereof are held in trust for the Company and are not mingled with other monies and shall be at all times identifiable as the Company's monies.

(6) If the Customer has not received the proceeds of any such sale, he will upon being called upon so to do by the Company, within seven days thereof assign to the Company all rights against the person or persons to whom the Customer has supplied the goods.

12. Suspension Or Cancellation Of Deliveries

(1) If the Customer shall fail to pay to the Company on the due date any sum payable hereunder, or shall have a receiving order in bankruptcy made against him, or make any arrangement with his creditors, or being a body corporate shall have a receiver appointed or if any order shall be made or any resolution passed for winding up the same, the Company may, without prejudice to its other rights, demand immediate payment by the Customer of all unpaid accounts and suspend further deliveries and cancel this and any other contract between the Company and the Customer without any liability attaching to the Company in respect of such suspension or cancellation and debit the Customer with any loss sustained thereby.

(2) If the Customer cancels his order the Company shall be entitled to recover any loss sustained thereby from him.

13. Returns

The Company's policy on returns is covered in the "Product Returns Procedure" document, available on request, which should be considered part of these Terms and Conditions.

14. Guarantee

(1) The Company undertakes to repair or replace, at the option of the Company, any goods manufactured by the Company which are shown to be defective in materials or workmanship within the warranty period for the applicable goods as defined in this range guide or on your sales order from the date of delivery. Provided that the Company shall be under no liability under the said guarantee if (a) the Customer has not paid in full for the goods or (b) the Customer has executed or attempted to execute repairs or alterations to the goods which are not authorised by the Company or has failed in any other respect to store the goods correctly or has mishandled the goods or failed to adhere strictly to the terms of hereof or (c) the Company has not been notified of any defect within one month of the defect becoming apparent.

(2) Any claim against the Company under Condition 14 must be made in writing to the Company on a 'Customer Care Application Form' which forms part of the Company's Quality procedures and will be made available by the Company in a timely manner.

(3) Should a Customer claim, made against the company under the terms of the Guarantee, be rejected by the Company, then the Company reserves the right to levy an administration fee, equal to the costs incurred by the Company during the processing of the Claim or £100, whichever is the higher value. The Customer must pay the administration fee within 30 days of the Customer being notified by the Company that the claim has been rejected.

15. Exclusion Of Liability

(1) The Company's guarantee is provided by the Company and accepted by the Customer in substitution for all express or implied representations conditions and warranties statutory or otherwise as to (a) the stated quality satisfactory nature fitness for purpose durability or performance of the goods and (b) the standard of the Company's workmanship and the stated quality satisfactory nature fitness durability or performance of any materials used in connection therewith and all such representations conditions and warranties are hereby expressly excluded.

(2) Except for any liability which it may incur for death or personal injury resulting from negligence the Company shall not be liable in any manner whatsoever whether in contract, in tort, in misrepresentation or otherwise for any consequential or other loss damage or injury however caused which may arise out of or in connection with the supply of goods to or the execution of any work for the Customer (including goods supplied and work executed under the said guarantee).

16. Lien

The Company shall have a general lien in respect of all sums due from the Customer upon all goods to be supplied to such Customer or upon which work has been done on the Customer's behalf and, upon 14 days written notice to the Customer, may sell such goods and apply the proceeds towards the satisfaction of the sums due to the Company.

17. Force Majeure

If the performance of the contract by the Company shall be delayed by any circumstances or conditions beyond the control of the Company the Company shall have the right at its option (a) to suspend further performance of the contract until such time as the cause of the delay shall no longer be present or (b) to be discharged from further performance of and liability under the contract and if the Company exercises such right the Customer shall thereupon pay the contract price less a reasonable allowance for what has not been performed by the Company and the Company shall not be liable for any loss other than the price already paid for any goods not supplied less the Company's expenses.

18. Severance

If any condition herein shall be deemed void for any reason whatsoever, but would be valid if part of the wording thereof were deleted any such condition shall apply with such modifications as may be necessary to make it valid and effective.

19. 'Deals As Consumer'

Nothing in these Conditions shall affect the statutory rights of a customer who in relation to the Company 'deals as consumer' as defined in Section 12 of the Unfair Contract Terms Act 1977 or any amendment or modification thereof.

20. Legal Construction

This contract shall be constructed in accordance with English Law and shall be subject to the jurisdiction of the English Courts.

21. Export Terms

(1) Where the goods are supplied for export from the United Kingdom, the provisions of this clause shall apply subject to any special terms agreed in writing between the Customer and the Company.

(2) The Customer shall be responsible for complying with any legislation or regulations governing the importation and/or sale of the goods into or in the country of destination and for the payment of any associated duties or taxes.

(3) The Customer shall arrange for testing and inspection of the goods prior to collection/ delivery and the Company shall have no liability in respect of any defect in the goods which would have been apparent on inspection and which is claimed after delivery, or in respect of any damage during transit.

(4) Unless otherwise agreed in writing the goods shall be delivered ex-works and the Company shall not be obliged to give notice to the Customer that the goods have been so delivered.



Ordering Information

0844 209 0008

To place an order, please use the details below;

Premdor, Birthwaite Business Park, Huddersfield Road,
Darton, Barnsley, S75 5JS.

Facsimile: 0844 371 5333 (Orders)

Facsimile: 0844 371 5334 (General Enquiries)

Email: barnsleysales@premdor.co.uk

How to code your order

Door orders

1. Select the numeric code for the chosen door;
Internal Croft
762 x 1981 x 35mm = 82005

How to place your order

Orders can be placed in various ways:

1. Order by fax.
2. Order by post.
3. Order by email
3. Order by E.D.I. (contact us for details).

Full information about our Sales Office is shown above.

The information needed to process your order:

1. Your company name and address.
2. An order number.
3. A postcoded delivery address (including a contact name and telephone number).

For each item ordered:

1. The product name.
2. The quantity required.
3. The price per unit.
4. Quotation number if relevant.

Prices

All prices shown in this catalogue are exclusive of VAT. Prices are subject to alteration without notice and goods will be invoiced at the prices prevailing at the time of despatch. This priced catalogue supersedes all previous price lists.

Product availability

Items shown are normally available ex-stock.

Our order acknowledgement, issued after your order has been processed, will confirm your anticipated delivery date.

Amendments and cancellations

Any order amendment or cancellation will not be accepted without prior written agreement, and a charge will be levied for any specific costs incurred.

Delivery

Premdor delivers across mainland UK on a published multi-drop schedule based on key order days for the delivery address postcode area. Please note that delivery dates may change and will vary around bank holidays. Details of the current delivery arrangements can be obtained from Premdor.

Please supply post code details when ordering to avoid unnecessary delay.

Deliveries made on our scheduled delivery service to distributors' yard are free of charge.

For site deliveries please contact the sales office for prices and terms and conditions.

After sales

Premdor prides itself in providing a complete after sales package. Our after sales service can be contacted through the Sales Office.

Environmental chain of custody

Please note that where products are supplied with third party environmental accreditation, it is the purchaser's responsibility to ensure continuity of certification as required through the supply chain.

General Information

Reproduction

Drawings and photographs are intended as being illustrative only and do not represent a product offering. Colours and photographs depicted are as accurate as photographic and printing processes can allow.

Catalogue supplies

For merchant customers who wish to receive copies of our catalogues, please request with your order, or email at ukcatalogues@premdor.co.uk

Trade Descriptions Act 1968

In the interest of continuous product design and improvement, Premdor reserves the right to alter specifications and descriptions or withdraw products without prior notice.

The current specifications of any product are available on request and whilst every effort is made to produce up to date literature, this catalogue should only be regarded as a guide to current specifications.

It does not constitute an offer for the sale of any particular product.

0 - 9	
2 Light Glazed	12
4 Panel	10
6 Panel	14
A	
Abbey Part L	50
Availability	54 & 55
C	
Carolina M & T	34
Chatsworth Part L	48
Colonial M & T	36
Croft Panel (Internal)	6
Croft Part L (External)	46
Croft Solid (External)	38
Croft Solid (Internal)	22
Croft Solid Glazed (External)	40
D	
Door Pairs	54
Door Selector	3
E	
Environmental Policy	2, 54 & 55
EUTR	2
External Doors	30
F	
Finishing (External)	55
Finishing (Internal)	54
FSC®	2 & 55
G	
Glazing	54 & 55
Guarantees	54 & 55
I	
Internal Doors	4
K	
Kensington M & T	42
L	
Letterplates	55
M	
Masonite	2
Monaco Solid	28
Milano Solid (External)	44
Milano Solid (Internal)	24
N	
Nice Solid	26
O	
Ordering	54 & 55
P	
Part L Doors	47 - 53, 55
PEFC	2 & 54
Penryn Part L	52
Premdor	2
R	
Richmond M & T	32
Roma Panel	8
S	
Salisbury	18
Shaker	20
T	
Thermal Efficiency	55
Terms and Conditions	58
W	
Weatherboards	55
Weather Protection	55
Wiltshire	16





PREMDOR®

www.premdor.co.uk

www.wood-doors.net

0844 209 0008

