

*A
S
H*

TIMBER RANGE door handles are manufactured in quality hardwood from sustainable sources and Forestry Stewardship Council approved suppliers. All Handles comply with Document M and DDA WARM TO TOUCH requirements.

ASH500 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

60




Style	Diameter \varnothing	Centres(A)	Projection(B)	Overrun(D)	Grip(G)	Finish	Code
ASH 500	32	up to 1200	95	NA	50	Iroko	IR
						American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes. Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.



More ordering and fixing information can be found at the back of this catalogue

ASH 500

ASH503 Timber Range




Technical Specification

61 Detailed Photography



Technical Illustration



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Grip(G)	Finish	Code
ASH 503	32	up to 1200	95	150	50	Iroko	IR
						American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts

ASH503 . (38) . 600 . IR . PB . F2A

Diameter
Grip
Fixing kit

ASH 503

More ordering and fixing information can be found at the back of this catalogue

ASH520 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

62



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 520	32	up to 500	80	102	85	Iroko	IR
ASH 520	38	up to 900	83	108	85	American Oak	AO
ASH 520	50	up to 1800	88	120	85	Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts
ASH520 . (38) . 900 . IR . SS . F2A
Diameter
Grip
Fixing kit

More ordering and fixing information can be found at the back of this catalogue

ASH 520

ASH521 Timber Range




Technical Specification

63 Detailed Photography



Technical Illustration



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 521	32	up to 500	80	NA	85	Iroko	IR
ASH 521	38	up to 900	80	NA	85	American Oak	AO
ASH 521	50	up to 2000	95	NA	85	Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts

ASH521 . (38) . 600 . IR . PB . F2A

Diameter
Grip
Fixing kit

ASH 521


More ordering and fixing information can be found at the back of this catalogue

ASH522 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

64




Style	Diameter \varnothing	Centres(A)	Projection(B)	Bracket(F)	Overrun(D)	Finish	Code
ASH 522	44	up to 1800	82	49	19	Iroko	IR
						American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes. Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.



More ordering and fixing information can be found at the back of this catalogue

ASH 522

ASH522c Timber Range




Technical Specification

65 Detailed Photography



Technical Illustration



Style	Diameter \varnothing	Centres(A)	Projection(B)	Bracket(F)	Overrun(D)	Finish	Code
ASH 522c	44	up to 1800	85	49	19	Iroko	IR
						American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.



ASH 522c

More ordering and fixing information can be found at the back of this catalogue

ASH576 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

66




Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 576	50	up to 1800	***	NA	150	Iroko	IR
						American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.
*** Contact office for details.

Ordering Guide

Please use the following guide as an example when placing an order.



More ordering and fixing information can be found at the back of this catalogue

ASH 576

ASH578 Timber Range




Technical Specification

67 Detailed Photography



Technical Illustration



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 578	38	up to 900	80	NA	150	Iroko	IR
ASH 578	50	up to 1800	95	NA	150	American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts

ASH578 . (38) . 600 . IR . SS. F2A

Diameter
Grip
Fixing kit

ASH 578

More ordering and fixing information can be found at the back of this catalogue

ASH579 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

68



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 579	38	up to 900	83	108	150	Iroko	IR
ASH 579	50	up to 1800	88	120	150	American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style Centres Metal Parts

ASH579 . (38) . 600 . IR . PB . F2A

Diameter Grip Fixing kit

More ordering and fixing information can be found at the back of this catalogue

ASH 579

ASH580 Timber Range




Technical Specification

69 Detailed Photography



Technical Illustration



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 580	38	up to 900	80	NA	150	Iroko	IR
ASH 580	50	up to 1800	95	NA	150	American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts

ASH580 . (38) . 600 . IR . PB . F2A

Diameter
Grip
Fixing kit

ASH 580


More ordering and fixing information can be found at the back of this catalogue

ASH581 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

70




Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 581	38	up to 900	83	108	150	Iroko	IR
ASH 581	50	up to 1800	88	120	150	American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes. Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.



More ordering and fixing information can be found at the back of this catalogue


ASH 581

ASH582 Timber Range




Technical Specification

71 Detailed Photography



Technical Illustration



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 582	38	up to 900	80	NA	150	Iroko	IR
ASH 582	50	up to 1800	80	NA	150	American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts

ASH582 . (38) . 900 . IR . SS . F2A

Diameter
Grip
Fixing kit

ASH 582

More ordering and fixing information can be found at the back of this catalogue

ASH586 Timber Range




Technical Specification

Detailed Photography



Technical Illustration

72



Style	Diameter \varnothing	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 586	38	up to 900	80	NA	150	Iroko	IR
ASH 586	50	up to 1800	95	NA	150	American Oak	AO
						Maple	MP
						Mahogany	BM
						Polished Stainless	PS
						Satin Stainless	SS

** Extra fixing points may be required on some sizes. Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style
Centres
Metal Parts

ASH586 . (38) . 500 . IR . SS . F2A

Diameter
Grip
Fixing kit

More ordering and fixing information can be found at the back of this catalogue

ASH 586