**ASH**

Vision panels and portholes are available in 1 hour, ½ hour and non fire rated assemblies.
Special sizes can be manufactured

ASH318 Vision Panels Range

86 | **Detailed** Photography

Technical Illustration

A

B

47

Size Available

Style	A	B	C
ASH 318	300	300	NA

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
   Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style

Fire rating

ASH318 . SS . 60FR

Finish

More ordering and fixing information can be found at the back of this catalogue

ASH316 Vision Panels Range

Detailed Photography

Technical Illustration

A

B

47

Size Available

Style	A	B	C
ASH 316	300	400	NA

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
   Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style

Fire rating

ASH316 . PS . 30FR

Finish

84 | Detailed Photography

Technical Illustration

Size Available

Style	A	B	C
ASH 314	310	500	260

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style   Fire rating

ASH314 . PS . 30FR

Finish

ASH312 Vision Panels Range

Technical Specification

Detailed Photography

Technical Illustration

Size Available

Style	A	B	C
ASH 312	225	450	NA

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
   Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style | Fire rating

ASH312 . PS . 60FR

Finish

82 Detailed Photography

Technical Illustration

Size Available

Style	A	B	C
ASH 310	225	450	180

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
   Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style   Fire rating

ASH310 . SS . 30FR

Finish

ASH308 Vision Panels Range

Detailed Photography

Technical Illustration

Size Available

Style	A	B	C
ASH 308	300	300	NA

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
   Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style | Fire rating

ASH308 . PS . 60FR

Finish

80 | **Detailed** Photography

Technical Illustration

Size Available

Style	A	B	C
ASH 306	450	300	150

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style   Fire rating

ASH306 . PS . 60FR

Finish

ASH304 Vision Panels Range

Detailed Photography

Technical Illustration

Size Available

Style	A	B	C
ASH 304	375	275	75

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style | Fire rating

ASH304 . SS . 60FR

Finish

78 **Detailed** Photography


Technical Illustration

47

B

A

Size Available

Style	A	B	C
ASH 302	350	350	-

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
   Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style

Fire rating

ASH302 . **PS** . **30FR**

Finish

Technical Specification

Detailed Photography

Technical Illustration

47

A

Sizes Available

Style	A	B	C
ASH 300X	194	NA	NA
ASH 300Y	294	NA	NA
ASH 300Z	394	NA	NA

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide

Please use the following guide as an example when placing an order.

Style | Fire rating

ASH300X . PS . 60FR

Finish

ASH320 Vision Panels Range

Technical Specification

Detailed Photography

Technical Illustration

47

A

B

Size Available

Style	A	B	C
ASH 320	650	280	NA

Fire Protection Available

Code	Fire Rating
30 FR	30 mins fire rated
60 FR	60 mins fire rated
NFR	Non fire rated

Finishes Available

Finish	Code
Polished Stainless	PS
Satin Stainless	SS

** Extra fixing points may be required on some sizes.
Contact our technical department for assistance.

Ordering Guide
Please use the following guide as an example when placing an order.

Style   Fire rating

ASH320 . PS . 60FR

Finish