



# 4100

**shower curtain track**  
for care institutions



**The standard in  
healthcare**





# 4100

## shower curtain track

### practical & versatile

The Goelst shower curtain track 4200 is an ideal rail for your shower curtain. This rail is the strongest of its kind. He owes his strength especially to his form. The rail can be fitted with suspension hangers to be used in hospitals and care institutions. A very popular rail with many applications, such as in the care sector and residential homes.

- The ideal track for all shower curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Silent and smooth running, also round bends.
- Usable with LRS gliders.



### Standard colours




High quality, wear-resistant coating, highly colourfast, UV-resistant.  
Other RAL colours & special coatings on request.

### Features

<b>Material:</b>	aluminium
<b>Colour:</b>	white, natural anodised, black
<b>Dimensions:</b>	34 x 15 mm
<b>Weight profile:</b>	405 gr/m <sup>1</sup>
<b>Mounting:</b>	wall or ceiling

## Profile specifications

### Aluminium profile:



### Colours with RAL code and lengths (m):

	RAL	4	5	6	7
wit	9010		•	•	•
naturel			•	•	•
zwart	9005			•	

### Mounting surface:

- wood
- masonry/concrete

### Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket


### Bending:

bending radius	bending tool
R 15 cm	1015
R 20 cm	1015
R 30 cm	1015
R > 80 cm	1018

R 15 cm


R > 100 cm

## Montage




ceiling mounting 4100 with ceiling bracket 4135


ceiling mounting 4100 with suspension hanger 4254



wall mounting 4100 with wall bracket 4149



wall mounting with wall bracket 4140




Ceiling mounting 4100: threaded rod set 4055-10, suspension hanger tube 4055-40 and with fixing set 4055-30.

Ceiling mounting with 4255




## Application example


Standard shower rail situations and suspension hanger positions




L-shaped (shower)




U-shaped (shower)



Special (for example corner baths)



L-shaped (bath)



Straight rail

## Specification guide

### Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

## Standard parts

### Curtain transport




**4001-M-N-60**  
end stop metal with  
eye natural and RVS  
hook



**4003**  
spring stop plastic  
requires punch hole  
white




### Mounting



**4149**  
wall bracket  
white / grey /  
black

### Accessories



**4145-050**  
dust cover  
reel 50m  
white / grey

## Optional parts

### Curtain transport



**4001-M-N**  
end stop metal with  
eye natural



**4002**  
end stop metal



**4007**  
rotating glider white/  
grey / silver / black



**4007-70**  
rotating glider with  
ring, white



**4055-10**  
threaded rod M6  
with plug and 2x  
nut M6, 0-100 cm  
/ 101-200 cm



**4055-30-SYST-10**  
susp.hanger  
mount.set susp.  
ceiling, white /  
natural




**4055-30-10**  
susp. hanger  
mounting set  
white / natural



**4055-30-LRS-51**  
susp. hanger  
mounting set LRS  
5100



**4055-40**  
susp. hanger tube  
50cm natural, 50  
/ 100 / 150 cm,  
one side threaded  
white / natural /  
black



**4130**  
connection  
bracket white /  
natural metallic



**4140**  
wall bracket  
white / grey


### Accessories




**4153**  
end cap plastic  
white / grey




**4165**  
rail connector  
white / naturel / black



**4170**  
curtain holdback with  
fixing plate white / natural




**4170-IS0**  
curtain holdback nat.  
fixing plate, isolated  
white / natural



**4170-M**  
curtain holdback,  
magnetic fixing,  
white

### Mounting



**4135**  
ceiling bracket  
white / natural  
metallic / black



**4254**  
mini suspension  
hanger 3cm  
white / natural  
metallic / black



**Goelst UK Ltd**

Crimple Court | Hornbeam Park | Harrogate | HG2 8PB  
Tel 01423 873002 | Fax 01423 874006 | [info@goelstuk.com](mailto:info@goelstuk.com) | [www.goelst.co.uk](http://www.goelst.co.uk)