

SPATIO 111 T50

DELTALIGHT®

pure lighting **pleasure**.

www.deltalight.com

d

DIRECT FIXATION

Spatio 50 3
Spatio 70 3
Spatio 111 3
Spatio LED Jac 4
Spatio LED 4
Spatio 50 T50 5
Spatio 70 T50 5
Spatio 111 T50 5
Spatio H30 5
Spatio R7s 6
Spatio C50 6
Spatio HIM 6
Spatio H111 6
Spatio HIT-35/70 8
Spatio HIT-150 8
Spatio HIC SP 9
Spatio HIT SP 9
Spatio HIC WFL 9
Spatio HIT WFL 9

t

TRACK SYSTEM

Spatio LED AD 16
Spatio 50 T50 AD 16
Spatio 70 T50 AD 16
Spatio 111 T50 AD 16
Spatio H30 AD 17
Spatio R7s AD 17
Spatio C50 AD 18
Spatio HIM AD 18
Spatio H111 AD 18
Spatio HIT-35/70 AD 20
Spatio HIT-150 AD 20
Spatio HIC SP AD 21
Spatio HIT SP AD 21
Spatio HIC WFL AD 21
Spatio HIT WFL AD 21

w

WALL FIXATION

Spatio W HP 25
Spatio W R7s 25
Spatio W HIC WFL 27
Spatio W HIC SP 27
Spatio W HIT WFL 27

DELTALIGHT®

pure lighting **pleasure**.

INFO /Spatio

Spatio, the perfect answer for all applications.

With Spatio, Delta Light® provides the answer for all of the possible applications that might be expected of a lighting system. The unit, which is available on a jack, with an adapter or as a fitting that is attached directly to the ceiling, combines a full range of lamp sources that are available today, ranging from 4 W LED to halogen and 150 W gas discharge.

Optimum light comfort is guaranteed by the extensive range of accessories, such as colour filters, lenses, anti-glare screens, protective flaps and covers. The wide range of reflectors designed by Delta Light® provides a light angle of 15 to 100º. This versatile lighting system comes structurally as standard in white or grey (black finish possible on request).

d

Spatio 50

SPATIO 50 ◇
81 ◇
= JAC
= 00
◇ = A / W
EXCL.1 x JACKPOINT
GU5.3 / 12V / EXCL.TRANSFO
1 x QR-C51 20-35-50W

0,3 IP20 850°C 0,5

OPTIONS / ACCESSORIES (p. 28-29)
JACKPOINT



Spatio 70

SPATIO 70 ◇
82 ◇
= JAC
= 00
◇ = A / W
EXCL.1 x JACKPOINT
BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W

0,3 IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
JACKPOINT



Spatio 111

SPATIO 111 ◇
83 ◇
= JAC
= 00
◇ = A / B / W
EXCL.1 x JACKPOINT
G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W

0,4 IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
JACKPOINT



Jackpoint - Jack System



16 x 60

JACKPOINT ◇
203 10 01 ◇
◇ = A / B / W

0,1



d

Spatio Led Jac

SPATIO LED JAC ◇
JAC 84 00 ◇
◇ = A / B / W
INCL.4 x POWERLED WHITE 1W / 5500K

INCL.4 x LENS 10°
EXCL.LED POWER SUPPLY 350mA-DC
CURRENT CONTROLLED
EXCL.1 x JACKPOINT / CARREEPOINT / SETPOINT

0,4 IP20

OPTIONS (p. 28-29)
JACKPOINT / CARREEPOINT / SETPOINT
LED POWER SUPPLY 350mA-DC (p. 30)

SPATIO LED JAC WW ◇
JAC 84 00 WW ◇
◇ = A / B / W
INCL.4 x POWERLED WHITE 1W / 3300K



Spatio Led

SPATIO LED ◇
311 10 401 ◇
◇ = A / B / W
INCL.4 x POWERLED WHITE 1W / 5500K

INCL.4 x LENS 10°
INCL.LED POWER SUPPLY 350mA-DC
CURRENT CONTROLLED
230-240V / 50-60Hz

0,6 IP20

SPATIO LED WW ◇
311 10 401 WW ◇
◇ = A / B / W
INCL.4 x POWERLED WHITE 1W / 3300K



Jackpoint - Jack System



16 x 60
JACKPOINT ◇
203 10 01 ◇
◇ = A / B / W
0,1



Carreepoint - Jack System



16 x 60
CARREEPOINT ◇
203 10 02 ◇
◇ = A / W
0,1

Setpoint - Jack System



105 x 75 max.22
SETPOINT ◇
203 10 27 ◇
◇ = PRIM
0,3



d

Spatio 50 T50

SPATIO 50 T50 ◇
311 10 105 ◇
◇ = A / W
GU5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 20-35-50W

IP20 850°C 0,5

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio 70 T50

SPATIO 70 T50 ◇
311 10 107 ◇
◇ = A / W
BA15d / 230-240V / 50-60Hz / TE
1 x QR-LP70 20-50W

IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio 111 T50

SPATIO 111 T50 ◇
311 10 111 ◇
◇ = A / B / W
G53 / 230-240V / 50-60Hz / TE
1 x QR-LP111 35-50W

IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio H30

SPATIO H30 ◇
311 11 130 ◇
◇ = A / W
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W

IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



d

Spatio R7s

SPATIO R7s ◇
311 11 100 ◇
◇ = A / W
R7s / 230-240V / 50-60Hz
1 x QT-DE12s 100W

0,6 IP20 850°C 0,5

OPTIONS (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio C50 new

SPATIO C50-20 ◇
311 13 220 ◇
◇ = A / W
GX10 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIPAR51 20W

0,8 IP20 0,5

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90

SPATIO C50-35 ◇
311 13 235 ◇
◇ = A / W
GX10 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIPAR51 35W

0,8 IP20 0,5

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio HIM new

SPATIO HIM-20 ◇
311 13 120 ◇
◇ = A / W
INCL. REFLECTOR FL-28° + GLASS
PGJ5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC-CE 20-35W

ON REQUEST: REFLECTOR SP-12°

0,6 IP20 0,5

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio H111

SPATIO H111-35 ◇
311 11 135 E ◇
◇ = A / B / W
GX8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIR-CE111 35W

1,7 IP20 850°C 0,5

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90

SPATIO H111-70 ◇
311 11 170 E ◇
◇ = A / B / W
GX8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIR-CE111 70W

1,7 IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90





REFLECTOR FL-28°
ON REQUEST : REFLECTOR S-15° / WFL-55° / WFL-80°

REFLECTOR SP-15°
REFLECTOR WFL-100°

Spatio HIT-35/70

SPATIO HIT-35 ◇
311 12 135 E ◇
◇ = A / W
INCL. REFLECTOR FL-28° + GLASS + ANTI-GLARE
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 35W
ON REQUEST :
REFLECTOR S-15° / WFL-55° / WFL-80°
2,3 IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90

SPATIO HIT-70 ◇
311 12 170 E ◇
◇ = A / W
INCL. REFLECTOR FL-28° + GLASS + ANTI-GLARE
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 70W
ON REQUEST :
REFLECTOR S-15° / WFL-55° / WFL-80°
2,3 IP20 850°C 1,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio HIT-150

SPATIO HIT-150 ◇
311 12 1150 E ◇
◇ = A / W
INCL. REFLECTOR FL-28° + GLASS + ANTI-GLARE
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W
ON REQUEST : REFLECTOR S-15° / WFL-55° / WFL-80°
2,5 IP20 850°C 2,0

OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



d

Spatio HIC SP

SPATIO HIC-35 SP ◇
311 14 135 E ◇
◇ = A / W
INCL. REFLECTOR SP-15° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 35W
1,9 IP20 850°C 1,0
OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90

SPATIO HIC-70 SP ◇
311 14 170 E ◇
◇ = A / W
INCL. REFLECTOR SP-15° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 70W
1,9 IP20 850°C 1,5
OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio HIT SP

SPATIO HIT-150 SP ◇
311 14 1150 E ◇
◇ = A / W
INCL. REFLECTOR SP-15° + GLASS
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W
2,3 IP20 850°C 2,0
OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio HIC WFL

SPATIO HIC-35 WFL ◇
311 15 135 E ◇
◇ = A / W
INCL. REFLECTOR WFL-100° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 35W
1,6 IP20 850°C 0,5
OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90

SPATIO HIC-70 WFL ◇
311 15 170 E ◇
◇ = A / W
INCL. REFLECTOR WFL-100° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 70W
1,6 IP20 850°C 0,5
OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Spatio HIT WFL

SPATIO HIT-150 WFL ◇
311 15 1150 E ◇
◇ = A / W
INCL. REFLECTOR WFL-100° + GLASS
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W
2,3 IP20 850°C 0,5
OPTIONS / ACCESSORIES (p. 28-29)
COVERSET R 90-100 / S 80-90



Composition

1 TRACK
2 ENDCAP / SUPPLY / CORNERS
3 FIXATION
4 CURRENT SUPPLY
5 ACCESSORIES
6 OPTIONS



1 Track





TRACK 1m ◇
200 01 410 ◇
◇ = ANO / B / W
230-240V / 50-60Hz / 3F
IP20
0,8

TRACK 2m ◇
200 01 420 ◇
◇ = ANO / B / W
230-240V / 50-60Hz / 3F
IP20
1,6

TRACK 3m ◇
200 01 430 ◇
◇ = ANO / B / W
230-240V / 50-60Hz / 3F
IP20
2,4

2 Endcap / Supply / Corners

B



TRACK END CAP ◇
200 01 41 ◇
◇ = A / B / W
0,1

C



TRACK END SUPPLY 11 ◇
200 01 11 ◇
◇ = A / B / W
230-240V / 50-60Hz
0,1 IP20

D



TRACK END SUPPLY 12 ◇
200 01 12 ◇
◇ = A / B / W
230-240V / 50-60Hz
IP20
0,1

E



TRACK MIDDLE SUPPLY ◇
200 01 14 ◇
◇ = A / B / W
230-240V / 50-60Hz
0,1 IP20

F



TRACK CORNER 90° OUT ◇
200 01 35 ◇
◇ = A / B / W
0,1 IP20

G



TRACK CORNER 90° IN ◇
200 01 34 ◇
◇ = A / B / W
0,1 IP20

H



TRACK CORNER 180° ◇
200 01 21 ◇
◇ = A / B / W
0,1 IP20

I



TRACK CORNER 60°-300° ◇
200 01 24 ◇
◇ = A / B / W
0,1 IP20

3 Fixation



TRACK DIRECT FIXATION ◇
200 01 02 ◇
◇ = ANO
0,1



TRACK SUSPENSION 3,0
200 01 13
L 3,0m
0,1

4 Current Supply

TRACK CURRENT SUPPLY 5 x 0,75mm² 3,0m
200 99 53
L 3,0m / 5 x 0,75mm²
0,3
OPTIONS
CABLE BASE R/S



5 Accessories

TRACK BENDING TOOL
200 00 01
0,1





6 Options

CABLE BASE R
ANO **203 99 55 ANO**
W **203 99 55 W**

OPTIONS
COVERSET R 62-90-100
COVERSET S 62-80-90
0,1

CABLE BASE S
ANO **203 99 56 ANO**
W **203 99 56 W**

OPTIONS
COVERSET R 62-90-100
COVERSET S 62-80-90
0,1



COVERSET R
Ø62
ANO **204 00 62 ANO**
W **204 00 62 W**
0,1

Ø90
ANO **204 00 90 ANO**
W **204 00 90 W**
0,1

Ø100
ANO **204 00 100 ANO**
W **204 00 100 W**
0,1

COVERSET S
□62
ANO **204 62 62 ANO**
W **204 62 62 W**
0,1

□80
ANO **204 80 80 ANO**
W **204 80 80 W**
0,1

□90
ANO **204 90 90 ANO**
W **204 90 90 W**
0,1



t

Spatio LED AD

SPATIO LED AD ◇
311 10 401 AD ◇
◇ = A / B / W
INCL.1 x 3F MULTI ADAPTOR
INCL.4 x POWERLED WHITE 1W / 5500K
INCL.4 x LENS 10°
INCL.LED POWER SUPPLY 350mA-DC
CURRENT CONTROLLED
230-240V / 50-60Hz

0,6 IP20

VARIANT
311 10 401 AD WW ◇
INCL.4 x POWERLED WHITE 1W / 3300K



Spatio 50 T50 AD

SPATIO 50 T50 AD ◇
311 10 105 AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
GU5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 20-35-50W

0,5 IP20 850°C 0,5

ACCESSORIES (p. 28-29)



Spatio 70 T50 AD

SPATIO 70 T50 AD ◇
311 10 107 AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
BA15d / 230-240V / 50-60Hz / TE
1 x QR-LP70 20-50W

0,5 IP20 850°C 1,0

ACCESSORIES (p. 28-29)



Spatio 111 T50 AD

SPATIO 111 T50 AD ◇
311 10 111 AD ◇
◇ = A / B / W
INCL.1 x 3F MULTI ADAPTOR
G53 / 230-240V / 50-60Hz / TE
1 x QR-LP111 35-50W

0,6 IP20 850°C 1,0

ACCESSORIES (p. 28-29)



Spatio R7s AD

SPATIO R7s AD ◇
311 11 100 AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
R7s / 230-240V / 50-60Hz
1 x QT-DE12s 100W

IP20 850°C 0,5



Spatio H30 AD

SPATIO H30 AD ◇
311 11 130 AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W

IP20 850°C 1,0

ACCESSORIES (p. 28-29)



t

Spatio C50 AD new

SPATIO C50-20 AD ◇
311 13 220 AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
GX10 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIPAR51 20W
0,8 IP20 0,5
ACCESSORIES (p. 28-29)

SPATIO C50-35 AD ◇
311 13 235 AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
GX10 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIPAR51 35W
0,8 IP20 0,5
ACCESSORIES (p. 28-29)



Spatio HIM AD new

SPATIO HIM-20 AD ◇
311 13 120 AD ◇
◇ = A / W
INCL. REFLECTOR FL-28° + GLASS
INCL.1 x 3F MULTI ADAPTOR
PGJ5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC-CE 20W
0,8 IP20 0,5
ACCESSORIES (p. 28-29)



Spatio H111 AD

SPATIO H111-35 AD ◇
311 11 135 E AD ◇
◇ = A / B / W
INCL.1 x 3F MULTI ADAPTOR
GX8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIR-CE111 35W
1,7 IP20 850°C 0,5
ACCESSORIES (p. 28-29)

SPATIO H111-70 AD ◇
311 11 170 E AD ◇
◇ = A / B / W
INCL.1 x 3F MULTI ADAPTOR
GX8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIR-CE111 70W
1,7 IP20 850°C 1,0
ACCESSORIES (p. 28-29)



t



REFLECTOR FL-28°
ON REQUEST : REFLECTOR S-15° / WFL-55° / WFL-80°

REFLECTOR SP-15°
REFLECTOR WFL-100°

Spatio HIT-35/70 AD

SPATIO HIT-35 AD ◇
311 12 135 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR FL-28° + GLASS + ANTI-GLARE
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 35W
ON REQUEST :
REFLECTOR S-15° / WFL-55° / WFL-80°
2,3 IP20 850°C 1,0
ACCESSORIES (p. 28-29)

SPATIO HIT-70 AD ◇
311 12 170 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR FL-28° + GLASS + ANTI-GLARE
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 70W
ON REQUEST :
REFLECTOR S-15° / WFL-55° / WFL-80°
2,3 IP20 850°C 1,0
ACCESSORIES (p. 28-29)



Spatio HIT-150 AD

SPATIO HIT-150 AD ◇
311 12 1150 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR FL-28° + GLASS + ANTI-GLARE
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W
ON REQUEST : REFLECTOR S-15° / WFL-55° / WFL-80°
2,5 IP20 850°C 2,0
ACCESSORIES (p. 28-29)



t

Spatio HIC SP AD

SPATIO HIC-35 SP AD ◇
311 14 135 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR SP-15° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 35W

1,9 IP20 850°C 1,0

ACCESSORIES (p. 28-29)

SPATIO HIC-70 SP AD ◇
311 14 170 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR SP-15° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 70W

1,9 IP20 850°C 1,5

ACCESSORIES (p. 28-29)



Spatio HIT SP AD

SPATIO HIT-150 SP AD ◇
311 14 1150 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR SP-15° + GLASS
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W

2,3 IP20 850°C 2,0

ACCESSORIES (p. 28-29)



Spatio HIC WFL AD

SPATIO HIC-35 WFL AD ◇
311 15 135 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR WFL-100° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 35W

1,6 IP20 850°C 0,5

ACCESSORIES (p. 28-29)

SPATIO HIC-70 WFL AD ◇
311 15 170 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR WFL-100° + GLASS
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 70W

1,6 IP20 850°C 0,5

ACCESSORIES (p. 28-29)



Spatio HIT WFL AD

SPATIO HIT-150 WFL AD ◇
311 15 1150 E AD ◇
◇ = A / W
INCL.1 x 3F MULTI ADAPTOR
INCL. REFLECTOR WFL-100° + GLASS
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W

2,3 IP20 850°C 0,5

ACCESSORIES (p. 28-29)



LINEA
ACRYLIC RUGS

Spatio W HP

SPATIO W HP ◇
275 05 40 ◇
◇ = A
INCL. REFLECTOR WFL-100°
G9 / 230-240V / 50-60Hz
1 x QT14 25-40-60-75W

IP20 850°C 0,5



Spatio W R7s

SPATIO W R7s ◇
275 05 01 ◇
◇ = A
INCL. REFLECTOR WFL-100°
R7s / 230-240V / 50-60Hz
1 x QT-DE12s 100W

0,9 IP20 850°C 0,5



Spatio W HIC WFL

SPATIO W HIC-35 WFL ◇
275 05 35 E ◇
◇ = A
INCL. REFLECTOR WFL-100°
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 35W

IP20 850°C 0,5

SPATIO W HIC-70 WFL ◇
275 05 70 E ◇
◇ = A
INCL. REFLECTOR WFL-100°
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 70W

IP20 850°C 0,5



Spatio W HIC SP

SPATIO W HIC-35 SP ◇
275 06 35 E ◇
◇ = A
INCL. REFLECTOR SP-15°
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 35W

IP20 850°C 0,5

SPATIO W HIC-70 SP ◇
275 06 70 E ◇
◇ = A
INCL. REFLECTOR SP-15°
G8.5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT-TC 70W

IP20 850°C 1,0



Spatio W HIT WFL

SPATIO W HIT-150 WFL ◇
275 06 150 E ◇
◇ = A
INCL. REFLECTOR WFL-100°
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 150W

IP20 850°C 0,5



CLIP 50



A **201 30 98 A**
B **201 30 98 B**
W **201 30 98 W**

0,1

CLIP 111



A **201 27 99 A**
B **201 27 99 B**
W **201 27 99 W**

0,1

CONE 50

ALU **201 31 50 ALU**
B **201 31 50 B**
C **201 31 50 C**
W **201 31 50 W**

QR-CB51 max. 24°

0,1

CONE 111



ALU **201 28 00 ALU**
B **201 28 00 B**
C **201 28 00 C**
W **201 28 00 W**

QR-LP111 max. 24°

0,1

CONE 66

Ø 66 **201 32 52 B**

0,1

RING 66 / 109



Ø 66 **201 32 50 A**
201 32 50 W

Ø 109 **201 28 01 A**
201 28 01 W

0,1

RASTER



RASTER 66
Ø66 **201 32 51 B**

RASTER 109
Ø109 **201 28 02 B**

0,1

DICROIC FILTER

DICROIC FILTER 50
Ø50 **201 30 11**
201 30 12
201 30 13
201 30 14

0,1

FRONTGLASS

FRONTGLASS 109
Ø109 **201 18 00**

FRONTGLASS 111
Ø100 **201 17 00**

0,1

COLOUR FILTER



COLOUR FILTER 66
Ø66 **201 33 11**
201 33 12
201 33 13
201 33 14

COLOUR FILTER 109
Ø109 **201 28 11**
201 28 12
201 28 13
201 28 14

COLOUR FILTER 111
Ø100 **201 27 11**
201 27 12
201 27 13
201 27 14

0,1

COLOUR FILTER

COLOUR FILTER H111
Ø103 **201 26 11**
201 26 12
201 26 13
201 26 14

0,1

LENS

LENS 109
Ø109 **201 48 01**

LENS 111
Ø100 **201 47 11**

0,1

COVERSET R

Ø62
ANO **204 00 62 ANO**
W **204 00 62 W**

Ø90
ANO **204 00 90 ANO**
W **204 00 90 W**

Ø100
ANO **204 00 100 ANO**
W **204 00 100 W**

0,1

COVERSET S

□62
ANO **204 62 62 ANO**
W **204 62 62 W**

□80
ANO **204 80 80 ANO**
W **204 80 80 W**

□90
ANO **204 90 90 ANO**
W **204 90 90 W**

0,1

UV-FILTER

UV-FILTER C30
Ø100 **201 37 00**

0,1

FLAP



FLAP 1



201 25 01 B
201 25 01 SBL

0,1

FLAP 2



201 25 02 B
201 25 02 SBL

0,1

FLAP 3



201 25 03 B
201 25 03 SBL

0,1

FLAP 4



201 25 04 B
201 25 04 SBL

0,1

FLAP 5

201 25 05 B
201 25 05 SBL

0,1

FLAP 6



201 25 06 B
201 25 06 SBL

0,1

	FLAP 1	FLAP 2	FLAP 3	FLAP 4	FLAP 5	FLAP 6	RING 109 + FRONTGLASS 109	RING 109 + COLOUR FILTER 109	RING 109 + LENS 109	RING 109 + RASTER 109	RING 109 + FLAP X	CONE 111	CONE / CLIP 111 + COLOUR FILTER 111	CONE / CLIP 111 + FRONTGLASS 111	CONE / CLIP 111 + LENS 111	CONE / CLIP 111 + UV FILTER C30	COLOUR FILTER H111	RING 66 + COLOUR FILTER 66	RING 66 + RASTER 66	RING 66 + CONE 66	RING 66 + FLAP X	CONE 50	CLIP 50 + DICROIC FILTER 50
SPATIO 50 JAC					●													●	●	●	●	●	●
SPATIO 70 JAC					●													●	●	●	●		
SPATIO 111 JAC				●			●	●	●	●	●	●	●	●	●								
SPATIO 50 T50					●													●	●	●	●	●	●
SPATIO 70 T50					●													●	●	●	●		
SPATIO 111 T50				●			●	●	●	●	●	●	●	●	●								
SPATIO H30	●																						
SPATIO R7s																							
SPATIO C50					●													●	●	●	●	●	
SPATIO HIM					●																		
SPATIO H111 35/70			●							●	●						●						
SPATIO HIT 35		●						●		●	●												
SPATIO HIT 70		●								●	●												
SPATIO HIT 150		●								●	●												
SPATIO HIC 35/70 SP						●																	
SPATIO HIT 150 SP						●																	
SPATIO HIC 35/70 WFL						●																	
SPATIO HIT 150 WFL						●																	
LOBSTER 211 T100				●			●	●	●	●	●	●	●	●	●								
SPATIO 50 T50 AD						●												●	●	●	●	●	●
SPATIO 70 T50 AD						●												●	●	●	●		
SPATIO 111 T50 AD					●			●	●	●	●	●	●	●	●	●							
SPATIO H30 AD		●																					
SPATIO R7s AD																							
SPATIO C50					●													●	●	●	●	●	
SPATIO HIM					●																		
SPATIO H111 35/70 AD				●							●	●					●						
SPATIO HIT 35 AD			●						●		●	●											
SPATIO HIT 70 AD			●								●	●											
SPATIO HIT 150 AD			●								●	●											
SPATIO HIC 35/70 SP AD							●																
SPATIO HIT 150 SP AD							●																
SPATIO HIC 35/70 WFL AD							●																
SPATIO HIT 150 WFL AD							●																
SPATIO LED AD																							

COLOUR FILTERS 109 / 111 + QR-LP111 LAMP



COLOUR FILTER				
35W -12°				
35W - 6°				
50W - 24°				
50W - 8°				
50W - 4°				
75W - 45°				
75W - 24°				
75W - 8°				
100W - 45°				
100W - 100°				
100W - 8°				

LAMP + CONE / LAMP + CONE + COLOUR FILTER : CONSULT MANUAL

Led Power Supply 350mA-DC

LED POWER SUPPLY 350mA-DC / 7L
300 90 91
CURRENT CONTROLLED
MAX.7 x POWERLED 1W
100-240V / 50-60Hz

0,2 IP20





LED POWER SUPPLY 350mA-DC / 12L
300 90 112
CURRENT CONTROLLED
MAX.12 x POWERLED 1W
100-240V / 50-60Hz

0,2 IP67





B-SIDE LED	max.7 / 12
CLEVER	max.7 / 12
DEEP IRIS	max.7 / 12
DOT.COM R	max.7 / 12
DOT.COM S	max.7 / 12
INDUSTRIAL S	max.7 / 12
INLET L	max.7 / 12
INLET S	max.7 / 12
IRIS	max.7 / 12
LEDS C R	max.7 / 12
LEDS C S	max.7 / 12
LEDS SWING	max.7 / 12
LOOK IN	max.7 / 12
LOOK OUT	max.7 / 12
MC	max.7 / 12
MC²	max.3 / 6
MEDAR 61	max.3 / 6
NANOO LED	max.7 / 12
NANOO LED DOWN-UP	max.3 / 6
OUTLET	max.7 / 12
POWER FLOWER	max.1 / 1
POWER FLOWER C	max.1 / 1
PUK XL	max. 2 / 3
ROXY	max.7 / 12
SPATIO LED JAC	max.1 / 3
TACTIC R	max.2 / 4
TACTIC S	max.2 / 4
WING 22	max.1 / 3
WING 4	max.1 / 3

ticket

Headquarters
Delta Light® nv
Muizelstraat 2
B-8560 Wevelgem (Moorsele)
Belgium
Phone: +32 (0)56 435 735
Fax: +32 (0)56 435 736
E-mail: promotion@deltalight.com
www.deltalight.com

Asia
Delta Light Asia Inc.
Phone: +852 2686 9547
Fax: +852 2686 8547
E-mail: info@deltalight-asia.com
www.deltalight-asia.com

Belux
Delta Light® nv
Phone: +32 (0)56 435 735
Fax: +32 (0)56 435 736
E-mail: info@deltalight.be
www.deltalight.be

Czech Republic
Delta Light Czech s.r.o.
Phone: +420 241 740 775
Fax: +420 241 740 687
E-mail: info@deltalight.cz
www.deltalight.cz

Denmark
Delta Light Denmark Aps
Phone: +45 33 11 44 29
Fax: +45 76 41 34 09
E-mail: info@deltalight.dk
www.deltalight.dk

France
Delta Light France SA
Phone: +33 (0)47273 5855
Fax: +33 (0)47273 5856
E-mail: dlinfo@deltalight.fr
www.deltalight.fr

Germany / Austria
DELTA LINE + LIGHT GmbH
Phone: +49 (0)2451 4090-0
Fax: +49 (0)2451 4090-200
E-mail: info@deltalight.de
www.deltalight.de

Italy
Delta Light Italia S.r.l.
Phone: +39 0 571 82226
+39 0 571 93541
Fax: +39 0 571 83594
E-mail: info@deltalight.it
www.deltalight.it

Mena
Delta Light Mena
Phone: +961 1 822 545
Fax: +961 1 823 616
E-mail: sales@deltalight-mena.com
www.deltalight-mena.com

Slovakia
Delta Light Slovakia s.r.o.
Phone: +421 2 6353 0180
Fax: +421 2 6353 0181
E-mail: info@deltalight.sk
www.deltalight.sk

Spain
Iluminación Delta Light España S.A.
Phone: +34 (0)93 586 19 00
Fax: +34 (0)93 697 95 00
E-mail: marketing@deltalight.es
www.deltalight.es

Switzerland
Delta Light AG
Phone: +41 (0)61 485 99 10
Fax: +41 (0)61 485 99 11
E-mail: info@deltalight.ch
www.deltalight.ch

The Netherlands
Delta Light Nederland B.V.
Phone: +31 (0)78 644 1818
Fax: +31 (0)78 644 1819
E-mail: info@deltalight.nl
www.deltalight.nl

United Kingdom
Deltalight (UK) LTD
Phone: +44 (0)870 757 7087
Fax: +44 (0)207 620 0985
E-mail: design@deltalight.co.uk
www.deltalight.co.uk

USA
Delta Light USA, LLC.
Phone: +1 (954) 677 9800
Fax: +1 (954) 677 1007
E-mail: info@deltalight.us
www.deltalight.us

Australia
Inlite PTY LTD (Melbourne)
Phone: +61 (0)3 9429 9828
Fax: +61 (0)3 9427 0380
E-mail: vic@inlite.com.au
Inlite PTY LTD (Sydney)
Phone: +61 (0)2 9211 3544
Fax: +61 (0)2 9211 8475
E-mail: nsw@inlite.com.au
www.inlite.com.au

Croatia
Interlight d.o.o. (Split)
Phone: +385 (0)21 340 240
Fax: +385 (0)21 340 244
E-mail: interlight@interlight.hr
www.interlight.hr
Interlight d.o.o. (Zagreb)
Phone: +385 (0)1 66 51 630
Fax: +385 (0)1 66 51 644

Cyprus
Luce Ataliotis LTD
Phone: +357 (22) 515 511
Fax: +357 (22) 515 033
E-mail: luce.costas@cytanet.com.cy

Estonia
Haloval AS
Phone: +372 (0)6466 994
Fax: +372 (0)6466 993
E-mail: info@laterna.ee
www.laterna.ee

Finland
Spacelight Oy
Phone: +358 (0)9 2600 646
Fax: +358 (0)9 2600 648
E-mail: box@spacelight.fi
www.spacelight.fi

Greece
Foss SA
Phone: +30 (0)210 725 0580
Fax: +30 (0)210 725 2162
E-mail: info@foss.gr
www.foss.gr

Hong Kong
Zodiac Lighting LTD
Phone: +852 2898 9023
Fax: +852 2558 3114
E-mail: zd@zodiaclighting.com.hk
www.zodiaclighting.com.hk

Hungary
Be Light Kft.
Phone: +36 (1)438 0748
Fax: +36 (1)325 6266
E-mail: projekt@belight.hu
www.belight.hu

Iceland
Rafkaup HF
Phone: +354 585 2800
Fax: +354 585 2801
E-mail: rafkaup@rafkaup.is
www.rafkaup.is

Israel
Kamchi Lighting Ltd.
Phone: +972 73 21 30000
E-mail: office@kamchi.co.il
www.kamchi.co.il

Jordan
Lumiere Group Jordan
Phone: +962 6586 4980
Fax: +962 6586 5017
E-mail: jordan@lumieregroup.net
www.lumieregroup.jo

Korea
Altek Technologies Co LTD
Phone: +82 2512 7779
Fax: +82 2512 4117
E-mail: altek@altek.co.kr
www.altek.co.kr

Kuwait
Artecasa Lights
Phone: +965 48 48 000
Fax: +965 48 48 800
E-mail: sales@artecasalights.com
www.artecasalights.com

Latvia
Misura S.I.A.
Phone: +371 2 940 75 09
Fax: +371 6 716 05 91
E-mail: info@misura.lv
www.misura.lv

Lebanon
Lumiere Group s.a.l.
Phone: +961 (0)1 859 055
Fax: +961 (0)1 859 120
E-mail: info@lumieregroup.com.lb
www.lumieregroup.com.lb

Lithuania
UAB Sviesos Technologijos
Phone: +370 5 212 45 08
Fax: +370 5 240 48 50
E-mail: info@svt.lt
www.svt.lt

Malta
Elektra LTD
Phone: +356 2149 4444
Fax: +356 2149 9648
E-mail: info@elektra.com.mt
www.elektra.com.mt

Mexico
Luminance S.A. de C.V.
Phone: +52 55 5342 3019
Fax: +52 55 5342 3017
E-mail: info@luminance.com.mx
www.luminance.com.mx

New Zealand
Aesthetics Lighting LTD
Phone: +64 (0)4 384 1305
Fax: +64 (0)4 385 4039
E-mail: enquiries@aesthetics.co.nz
www.aesthetics.co.nz

Norway
Lightcom AS (Oslo)
Phone: +47 22 83 59 00
Fax: +47 22 83 59 01
E-mail: lightcom@lightcom.as
www.lightcom.as
Lightcom AS (Bergen)
Phone: +47 55 36 50 50
Fax: +47 55 36 50 51
E-mail: rl@lightcom.as

Philippines
Licht + Design Inc.
Phone: +632 726 0837
Fax: +632 721 9470
E-mail: licht.design@gmail.com

Portugal
Alfilux - Alberto Barbosa e Filhos Lda
Phone: +351 253 60 25 00
Fax: +351 253 60 25 09
E-mail: alfilux@alfilux.com
www.alfilux.com

Republic of Belarus
Megafort
Phone/Fax: +375 172 80 23 43
E-mail: megafort@belsonet.net

Romania
SC Atas Light SRL
Phone: +40 21 351 19 04
Fax: +40 21 351 19 05
E-mail: atas@atas.ro
www.atas.ro

Russia
On/Off Systems
Phone/Fax: +7 495 255 70 77
+7 495 912 18 76
E-mail: info@on-off-systems.com
www.on-off-systems.ru
Tepli
Phone/Fax: +7 495 128 94 91
+7 495 128 81 27
E-mail: info@tepli.ru
www.tepli.ru

Saudi-Arabia
Lumiere KSA
Phone: +966 2 284 08 30
Fax: +966 2 284 08 35
E-mail: zaki@lumiereksa.com

Serbia and Monte Negro
Arcadia Rasveta d.o.o. (Belgrade)
Phone: +381 11 328 61 28
+381 11 328 61 18
Fax: +381 11 328 60 65
E-mail: info@arcadia-rasveta.com
www.arcadia-lightwear.com

Slovenia
Arcadia d.o.o. (Ljubljana)
Phone: +386 (0)1 423 40 25
+386 (0)1 256 21 74
Fax: +386 (0)1 423 50 25
E-mail: info@arcadia-svetila.si
www.arcadia-svetila.si

South Africa
European Light & Design Center
Phone: +27 (0)21 851 30 24
Fax: +27 (0)21 851 30 28
E-mail: info@eldc.co.za
www.eldc.co.za

Sweden
Ljus i Hus AB
Phone: +46 (0)40 30 12 00
Fax: +46 (0)40 665 66 40
E-mail: info@ljusihus.se
www.ljusihus.se

Thailand
Southeast Thailand Co LTD
Phone: +66 2258 0210
Fax: +66 2258 1919
E-mail: info@southeastthailand.co.th

Turkey
Lumina Aydinlatma A.S.
Phone: +90 (0)212 225 97 35
Fax: +90 (0)212 225 97 48
E-mail: lumina@lumina.com.tr
www.lumina.com.tr

United Arab Emirates
Nouran Trading CO. LLC (Dubai)
Phone: +971 4 268 8661
Fax: +971 4 268 8061 / 057
E-mail: dubai@nouran.ae

Other countries:
Headquarter
Delta Light® nv
Phone: +32 (0)56 435 735
Fax: +32 (0)56 435 736
E-mail: promotion@deltalight.com
www.deltalight.com

DELTALIGHT®

pure lighting **pleasure**.

Manufacturer Delta Light® nv
Muizelstraat 2
B-8560 Wevelgem (Moorsele)
Belgium
Phone: +32 (0)56 435 735
Fax: +32 (0)56 435 736
E-mail: promotion@deltalight.com
www.deltalight.com

Product Design - Research - Development: Delta Light®
Coordination - Concept: Delta Light®
Graphic Design - Realisation: Delta Light®

Finally, to everyone who contributed in some way to the realisation of this **SPATIO CATALOG**... Thanks.

Copyright © 05-2008 Delta Light® NV

ALL INFORMATION IN THIS CATALOG IS WITHOUT ENGAGEMENT, REPLACES ALL PRECEDING INFORMATION AND CAN ALWAYS BE MODIFIED. ALL DELTA LIGHT PRODUCTS ARE SUPPLIED WITHOUT LAMPS. LAMP DATA ARE GIVEN AS EXAMPLE. DELTA LIGHT® N.V. HAS THE RIGHT TO CHANGE AT ANY TIME THE TECHNICAL ASPECTS OF ITS PRODUCTS WITHOUT FOREGOING COMMUNICATION. THE DELTA LIGHT® N.V. TERMS AND CONDITIONS ARE ALWAYS APPLICABLE. NO PART OF THIS CATALOG MAY BE COPIED WITHOUT WRITTEN AUTHORISATION OF DELTA LIGHT® N.V.

Made in Belgium DOC GE 126

FOR FURTHER TECHNICAL INFO, PLEASE VISIT www.deltalight.com