

Logic

New Generation Floor Recessed.





**100%
WATER
PROOF**

The Logic stands for a new generation of floor recessed luminaires.
A complete range of **100% waterproof** (IP67) and **shock-resistant** (IK02, Max 25N/Cm²) led
in-ground luminaires ensuring an intense uplight effect, thanks to the use of powerful led arrays.

60 R / R / S

The choice in **installation** - recessed trimless or surface mounted trim - its round or square shape and different diameters allow you to match look & feel with the design of the building.



TRIMLESS

LOGIC 60 R
Ø60 / 20° / FINISH ANO



LOGIC 60 R MOON
Ø60 / FINISH ANO



LOGIC 60 R STRIPER
Ø60 / 4° / FINISH ANO



LOGIC 60 R WALLWASH / SBL
Ø60 / FINISH ANO



↕
703mm / 6,2W

↕
223mm / 2,3W

↕
335mm / 4W

WITH TRIM

LOGIC 60 R A
Ø74 / 20° / FINISH ANO & B



LOGIC 60 R A MOON
Ø74 / FINISH ANO & B



LOGIC 60 R A STRIPER
Ø74 / 4° / FINISH ANO & B





TRIMLESS

LOGIC R
Ø92 / 11°-30°-55° / FINISH ANO



LOGIC R
WALLWASH / SBL
Ø92 / FINISH ANO



703lm / 6,2W

WITH TRIM

LOGIC R A
Ø110 / 11°-30°-55°
FINISH ANO & B



LOGIC R A
WALLWASH / SBL
Ø110
FINISH ANO & B



LOGIC S
110x110 / 11°-30°-55°
FINISH ANO




703lm / 6,2W

The uplight effect of the Logic serves to enhance the architectural character of your project and landscape. Thanks to its multiple **reflector options** Logic can be used to accentuate trees or sculptures, but also to uplight facades or large garden features, to create a sense of depth or indicate the right direction along paths and driveways.
















**6,2W
POWERLED
3000K***

CRI80

* On request 4000K, 2700K, CRI90





**MASSIVE
HOUSING**

Massive aluminum housing in anodised finish guarantees longterm durability.


Optimal cooling for extended LED lifetime due to housing in massive aluminium.

Glass is glued by robot for optimum precision.



Logic is potted with 2 component substances to make the luminaire IP67.






Installation is facilitated thanks to the incorporated **watertight power supply** in the supply cable, and the **waterproof (IP68) connector** to connect directly to the mains. As the Logic fits in Delta Light's standard **Genie Box** you can now easily swap your Genie 90 dichroic ground spot with this new LED version.



WALLWASH

The latest addition to the Logic range is the Wallwash version, available in alu grey or black aluminium housing.

These Logic versions provide an asymmetrical light distribution for a wallwashing effect, making it possible to illuminate a vertical surface (e.g. façade)




LOGIC R A WALLWASH
Ø110 / FINISH ANO & B




LOGIC R WALLWASH
Ø92 / FINISH ANO



LOGIC 60 R WALLWASH
Ø60 / FINISH ANO



LOGIC R WALLWASH



LOGIC R WALLWASH SBL







62

60 / STRIPER

The Striper version provide a very narrow and far reaching light beam (4°), ideal to accentuate hights and tall trees. When illuminating bigger trees with more foliage wider light beams are more suited.



LOGIC 60 R



LOGIC 60 R A



LOGIC 60 R STRIPER




LOGIC 60 R A STRIPER



The Moon versions were designed specifically to minimize glare and upgrade visual comfort, giving the impression of an asymmetrical light effect.



MOON




LOGIC 60 R MOON



LOGIC 60 R A MOON



F1 / F2



The **Logic F1 & F2** cast an attractive floodlight on driveways, footpaths and terraces. While the F1 model emits a broad beam of light in a single direction, the F2 emits light on both sides.



The **Logic Mini** enables you to complete the overall project with either round or square wall recessed lighting.



LOGIC MINI W S

LOGIC MINI W R



 DELTALIGHT®